



OUTDOOR

POWER EQUIPMENT

2023-2024 CATALOG

makitatools.com/RTO



RULE THE OUTDOORS

NEW SOLUTIONS FOR THE LANDSCAPER

Your world is changing. Increasing regulations across the nation are limiting the use and availability of gas power equipment. This will affect how you run your business – and Makita is here to help with more battery-powered commercial products to replace your gas equipment. Makita brings leading innovation to the cordless power equipment category, with big numbers to back it up: 100+ years of motor engineering, 90+ years in gas equipment, and 40+ years in cordless. There is no other company in the industry with this expansive engineering capability. Makita offers a complete system of outdoor power equipment with more gas-replacement solutions for mowing, trimming, cutting and clean-ups. With a constant focus on new technology and power management, Makita meets the demands of today and tomorrow. So how will you **RULE THE OUTDOORS?**



CONNECTX

PORTABLE POWER SUPPLY

Pgs. 4-5

XGT 40V | 80V max

POWER CUTTER

Pgs. 8-9

STRING TRIMMERS

Pgs. 10-11

CHAIN SAWS

Pgs. 12-13

HEDGE TRIMMERS

Pgs. 14-15

BLOWER / AUGER & ACCESSORIES

Pgs. 16-17



LXT 18V | 36V

**LAWN
MOWERS**

Pgs. 20-21

**STRING
TRIMMERS**

Pgs. 22-23

**COUPLE
SHAFTS**

Pgs. 24-25

BLOWERS

Pgs. 26-27

**CHAIN
SAWS**

Pgs. 28-31

**HEDGE
TRIMMERS**

Pgs. 32-35

**POWER
CUTTER**

Pg. 36-37

**LXT® ACCYS.
& CORDED**

Pg. 38-39

ACCESSORIES

GLOVES
LIGHTING
TRIMMER HEADS

TRIMMER/CUTTER
AUGER
GUIDE BARS/CHAINS

CHAIN SAW
BLOWER
POWER CUTTER

Pgs. 40-45



COMMERCIAL OUTPUT



HIGHER CAPACITY

Delivers 1,200 Watt Hours of Output



LONGER RUN TIME

Ideal for all day work*



ULTIMATE COMPATIBILITY

Powers ConnectX™, 40V max XGT® and 36V LXT® systems



DURABLE DESIGN

IPX4-rated weather-resistant construction

HIGHER CAPACITY. NO GAS.

PROVIDES THE RUN TIME NEEDED FOR ALL DAY WORK

ConnectX™ is a run-time and power solution for use with ConnectX™ products, as well as XGT® and LXT® tools and equipment when used with an adaptor. It accelerates the transition to battery power with a Backpack Power Supply (PDC1200A01), which packs a high-capacity 1,200Wh battery for all-day work and performance without the hassles of gas or cords.



CONNECTX™
DIRECT CONNECT



XGT
40V max ADAPTER



LXT
36V (18V X2) ADAPTER




CONNECTX™
XPT™
PDC1200A01 NEW
**ConnectX™ 1,200Wh
Portable Backpack Power Supply**

- Delivers 1,200 Watt Hours of Output
- Ideal for all day work; expected run times with PDC1200A01 may vary by product, application, and workday amount
- Powers ConnectX™, 40V max XGT® and LXT® 18V X2 (36V) systems for ultimate compatibility (40V max adapter sold separately)
- IPX4-rated weather-resistant construction for durability

Battery Energy Capacity (Wh)	1,200
Battery Capacity (Ah)	33.5Ah
Voltage	36V
System	36V Lithium-Ion, 40V max XGT®
Weather Resistant	Yes



CONNECTX™
XPT™
PDC01G6 / PDC01
**ConnectX™, LXT®, LXT® X2 and XGT® Portable
Backpack Power Supply with 6 Batteries (6.0Ah)**

- Backpack utilizes four Lithium-Ion batteries to provide longer run time for LXT®, LXT® X2 and XGT® tools
- Provides up to 4X the run time when used with Makita LXT® 18V and 40V max XGT® products
- Provides up to 2X the run time when used with Makita LXT® 18V X2 (36V) products
- Compatible with all ConnectX™ products

Voltage	18V
System	18V LXT®
Compatibility	18V LXT® and 18V LXT® X2 (36V)
Dimensions (LxWxH)	15-3/4" x 7-5/8" x 5-3/16"
Net Weight (with battery)	17.2 lbs.

PDC1200A01

PRODUCT FEATURES


PERFORMANCE
Delivers 1,200 Watt
Hours of Output

RUN TIME
Ideal for all day work; expected
run times may vary by product,
application, and workday amount

COMPATIBILITY
Powers ConnectX™, 40V max XGT®
and LXT® 18V X2 (36V) systems

DESIGN
IPX4-rated weather-
resistant construction

BACKPACK POWER SUPPLY ADAPTERS

191N62-4
40V max XGT® Adapter,
(PDC1200A01, PDC01)

191J51-5
18V LXT® X2 Adapter,
(PDC1200A01, PDC01)

191J50-7
18V LXT® Adapter,
(PDC01 Only)

PDC1200A01
Power Supply
Sold Separately

CONNECTX™
BRUSHLESS
XPT™
CML01Z NEW
**36V ConnectX™ Brushless
21" Self-Propelled Commercial Lawn Mower**

- ConnectX™ Mower works with all Makita Portable Backpack Power Supply units for longer run time (power supply sold separately)
- Delivers up to 3 hours of continuous cutting with PDC1200A01 (power supply sold separately)
- Backpack Power Supply (PDC1200A01 or PDC01) can be mounted directly onto the mower
- IPX4-rated weather-resistant construction

Power Type	Cordless
Motor Type	Brushless
Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 3-15/16"


CONNECTX™
BRUSHLESS
XPT™
CRU03Z
**36V ConnectX™ Brushless
String Trimmer**

- ConnectX™ String Trimmer works with any Makita Portable Backpack Power Supply unit for longer run time (power supply sold separately)
- External battery connection shifts the power supply weight off the trimmer for improved balance and reduced weight
- Makita-built brushless motor delivers power equivalent to a 30cc gas string trimmer
- IPX4-rated weather-resistant construction

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,000 / 0 - 4,600 / 0 - 6,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	70-1/4"
Net Weight	9.7 lbs.


CONNECTX™
BRUSHLESS
XPT™
CBU01Z
**36V ConnectX™ Brushless
Blower**


- ConnectX™ Blower works with any Makita Portable Backpack Power Supply units for longer run time (power supply sold separately)
- Delivers over 5 hours of run time with PDC1200A01 (power supply sold separately)
- Makita-built brushless motor delivers up to 622 CFM and 157 MPH
- External battery connection shifts the power supply weight off the Blower for improved balance and reduced weight

Max. Air Volume	622 CFM
Max. Air Velocity	157 MPH
Sound Pressure (per Ansi B175.2 standard)	59 dB(A)
Overall Length	38"
Net Weight	5.7 lbs.

COMING SOON

PDC1200A01
Power Supply
Sold Separately

CONNECTX™
BRUSHLESS
XPT™
CBU02Z
**36V ConnectX™ Brushless
Backpack Blower**



40V | 80V max

A NEW SYSTEM OF EQUIPMENT & TOOLS

XGT® is a new 40V | 80V max system of cordless equipment and tools. XGT® outpowers, outsmarts, and outlasts the rest. Through Makita's innovative engineering, the technology within the XGT® system will create the equipment and tools of the future.

40V max



100+ PRODUCTS*


ONE SYSTEM



BEYOND LIMITS



OUTPOWER




OUTSMART




OUTLAST

80V_{max}



Learn More at makitatools.com/XGT



*In 2022



40V | 80V max

DELIVERS THE POWER OF A
75.6cc GAS SAW



GEC01PL4


80V max (40V max X2) XGT®
Brushless 14" Power Cutter Kit,
w/ 4 Batteries

No Gas, No Fumes, No Pull-Starts,
Zero Limitations

*Compared to EK7651H

100+
PRODUCTS
ONE SYSTEM

CUTS UP TO 15 FT. IN CONCRETE ON A SINGLE CHARGE



Diamond Blade Sold Separately



GEC01PL4 / GEC01PL **NEW**

80V max (40V max X2) XGT® Brushless 14" Power Cutter Kit, w/ 4 Batteries



Z GEC01Z

- Delivers the power of a 75.6cc Gas Saw
- Cuts up to 15 ft. in concrete and makes 115 cuts in #5 rebar on a single charge
- No Gas, No Fumes, No Pull-Starts, Zero Limitations
- Integrated Anti-Vibration mechanism provides up to 50% less vibration when cutting (191A52-9)
- Active Feedback-sensing Technology (AFT®) electronically turns off the motor if rotation of wheel is suddenly forced to stop
- Electric brake allows the tool to be repositioned faster for maximum productivity

Battery	40V max XGT® Lithium-Ion
No Load Speed	5,300 RPM
Wheel Diameter	14"
Max. Cutting Depth	5"
Arbor w/ Adaptor	20mm/1" adaptor

GEC01PL

PRODUCT FEATURES



POWER

Delivers the power of a 75.6cc Gas Saw



RUN TIME

Cuts up to 15 ft. in concrete or makes 115 cuts in #5 rebar on a single charge



RELIABILITY

No Gas, No Fumes, No Pull-Starts, Zero Limitations



CONTROL

Integrated Anti-Vibration mechanism provides up to 50% less vibration when cutting

The 80V max (40V max X2) XGT® Brushless 14" Power Cutter with AFT® and Electric Brake (GEC01PL4) has the power to cut through various masonry and metal materials with all the benefits and convenience of cordless operation. The 14" wheel diameter allows for single pass cuts up to 5" deep in various masonry and metal materials. Model GEC01PL4 is a kit and includes four 40V max XGT® 8.0Ah Batteries (BL4080F) and an efficient 40V max XGT Dual Port Rapid Optimum Charger (DC40RB).

POWER EQUIVALENT TO A
30cc GAS STRING TRIMMER



GRU04M1

40V max XGT® Brushless
17" String Trimmer Kit

Steel drive shaft for less vibration
and longer equipment life

100+
PRODUCTS
ONE SYSTEM


XGT 80V max

XPT
GRU05PM **NEW** **Z** GRU05Z
**80V max (40V max X2) XGT® Brushless
Brush Cutter Kit**

- High-powered design for cutting heavy growth in farm, ranch, and forestry applications
- Makita-built brushless motor delivers the power of a 40cc gas brush cutter
- Bike handle design for improved grip and more ergonomic working position
- Steel drive shaft for less vibration and longer equipment life
- 10" steel 4 tooth brush cutter blade ideal for cutting grasses, shrubs and underwood

Blade Diameter	10"
No Load Speed (var. 3 spd.)	0 - 3,500 / 0 - 5,000 / 0 - 6,400 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72"
Net Weight (with battery)	19.1 lbs.


XGT 40V max

XPT
GRU04M1 **Z** GRU04Z
**40V max XGT® Brushless
17" String Trimmer Kit**

- Makita-built brushless motor provides power equivalent to a 30cc gas string trimmer
- Narrow string trimmer guard for improved cutting visibility
- Steel drive shaft for less vibration and longer equipment life
- Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,000 / 0 - 4,600 / 0 - 6,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72"
Net Weight (with battery)	11.9 lbs.


XGT 40V max

XPT
GRU03M1 **Z** GRU03Z
**40V max XGT® Brushless
17" String Trimmer Kit**

- Makita-built brushless motor delivers the power of a 30cc gas string trimmer
- Brush cutter debris shield and loop handle equipped with barrier bar for compatibility with brush cutter blades
- Steel drive shaft for less vibration and longer equipment life
- Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,600 / 0 - 5,500 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72"
Net Weight (with battery)	12.3 lbs.


XGT 40V max

XPT
GRU02M1 **Z** GRU02Z
**40V max XGT® Brushless
Brush Cutter Kit**

- Makita-built brushless motor provides power equivalent to a 30cc gas brush cutter
- Bike handle design for improved grip and more ergonomic working position
- Steel drive shaft for less vibration and longer equipment life
- 9" steel 4 tooth brush cutter blade ideal for cutting grasses, shrubs and underwood

Blade Diameter	9"
No Load Speed (var. 3 spd.)	0 - 4,600 / 0 - 5,500 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	74"
Net Weight (with battery)	13.2 lbs.


XGT 40V max

XPT
GRU01M1 **Z** GRU01Z
**40V max XGT® Brushless
15" String Trimmer Kit**

- Makita-built outer rotor brushless motor delivers the power of a 25cc gas string trimmer
- Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist
- Up to 1 hour of run time with 40V XGT® 4.0Ah battery
- Automatic Torque Drive Technology mode automatically shifts from 3,500-6,500 RPM for extended run time or added power

Cutting Swath	15"
No Load Speed (var. 3 spd.)	0 - 3,500 / 0 - 5,300 / 0 - 6,500 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	68-1/4"
Net Weight (with battery)	10.4 lbs.



Also Available:
GUX01ZX1 - Couple Shaft (Tool Only)
with 17" Trimmer Attachment


XGT 40V max

XPT
GUX01JM1X1 **Z** GUX01Z
**40V max XGT® Brushless Couple Shaft Power
Head Kit with 17" String Trimmer Attachment**

- Makita-built Brushless Motor delivers power of 30cc gas string trimmer
- Up to 25% more power than Gas Couple Shaft Power Head*
- 3-speed options (Low: 4,200 RPM, Medium: 6,000 RPM, High: 7,100 RPM) for power and run time management
- Variable speed trigger for controlled cutting speed

Shaft Type	Multi-tool attachment
No Load Speed (var. 3 spd.)	0 - 4,200 / 0 - 6,000 / 0 - 7,100 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	71-3/4"
Net Weight (with battery)	13.14 lbs.

COMPATIBLE WITH 14 COUPLE SHAFT ATTACHMENTS



COMING SOON


XGT 40V max

XPT
GML01PL / GML01SM **Z** GML01Z
**40V max XGT® Brushless
21" Self-Propelled
Commercial Lawn Mower Kit**



40V | 80V max

POWER OF A 30cc ***GAS CHAIN SAW***



GCU02M1

40V max XGT® Brushless
14" Chain Saw Kit

Up to 25% faster than gas

100+
PRODUCTS
ONE SYSTEM


XGT 40V max

XPT™

GCU03M1 **NEW**
Z GCU03Z

40V max XGT® Brushless 16" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw
- Up to 25% faster than gas
- Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

Guide Bar Length	16"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	4,882 FPM
Net Weight (with battery)	9.3 lbs.


XGT 40V max

XPT™

GCU02M1 **NEW**
Z GCU02Z

40V max XGT® Brushless 14" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw
- Up to 25% faster than gas
- Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

Guide Bar Length	14"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	4,882 FPM
Net Weight (with battery)	9.2 lbs.


XGT 40V max

XPT™

GCU01M1 **NEW**
Z GCU01Z

40V max XGT® Brushless 12" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw
- Up to 25% faster than gas
- Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

Guide Bar Length	12"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	4,882 FPM
Net Weight (with battery)	9.1 lbs.


XGT 40V max

XPT™

GAU02M1
Z GAU02Z

**40V max XGT® Brushless
10" Telescoping Pole Saw Kit, 13' Length**

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- Up to 30% faster than gas
- Up to 150 cuts in 4x4 cedar with 40V XGT® 4.0Ah battery
- Telescoping shaft easily adjusts length from 9 ft. to 13 ft. allowing access to hard-to-reach branches

Guide Bar Length	10"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	3,940 FPM
Overall Length (ft.)	9.1' - 13.1'


XGT 40V max

XPT™

GAU01M1
Z GAU01Z

**40V max XGT® Brushless
10" Pole Saw Kit, 8' Length**

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- Up to 30% faster than gas
- Up to 150 cuts in 4x4 cedar with 40V XGT® 4.0Ah battery
- 8 foot fixed length for extended reach

Guide Bar Length	10"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	3,940 FPM
Overall Length (ft.)	8.1'

COMING SOON

XGT 40V max

XPT™

GCU05M1
Z GCU05Z

**40V max XGT® Brushless
16" Chain Saw Kit**

XGT 40V max

XPT™

GCU04M1
Z GCU04Z

**40V max XGT® Brushless
18" Chain Saw Kit**

XGT 40V max

XPT™

GCU06M1
Z GCU06Z

**40V max XGT® Brushless
18" Chain Saw Kit**



40V | 80V max

DELIVERS THE POWER OF A
22.7cc GAS HEDGE TRIMMER




GHU05M1

40V max XGT® Brushless 30"
Single-Sided Hedge Trimmer Kit

Bevel-tipped, curved 3-sided teeth easily
catch and hold branches for clean cuts with
reduced friction

100+
PRODUCTS
ONE SYSTEM


XGT 40V max

XPT™

GHU03M1
Z GHU03Z

40V max XGT® Brushless 30" Hedge Trimmer Kit

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 30" dual action double-sided shear blade with 3-sided teeth for clean cuts
- Up to 4 hours of run time using a 40V max XGT® 4.0Ah battery

Blade Length	30"
Strokes Per Minute	5,000 SPM
Tooth Spacing	1-3/8"
Overall Length	49-3/4"
Net Weight (with battery)	9.7 lbs.


XGT 40V max

XPT™

GHU02M1
Z GHU02Z

40V max XGT® Brushless 24" Hedge Trimmer Kit

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 24" dual action double-sided shear blade with 3-sided teeth for clean cuts
- Up to 6 hours of run time using a 40V max XGT® 4.0Ah battery

Blade Length	24"
Strokes Per Minute	5,000 SPM
Tooth Spacing	1-3/8"
Overall Length	44"
Net Weight (with battery)	9.5 lbs.


XGT 40V max

XPT™

GHU01M1
Z GHU01Z

40V max XGT® Brushless 24" Rough Cut Hedge Trimmer Kit

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 24" dual action double-sided sharp-edged shear blade with curved 3-sided teeth provides optimal trimming for thick and hard branches
- Up to 3 hours of run time using a 40V max XGT® 4.0Ah battery

Blade Length	24"
Strokes Per Minute	4,000 SPM
Tooth Spacing	1-1/2"
Overall Length	44-1/4"
Net Weight (with battery)	9.7 lbs.


XGT 40V max

XPT™

GHU05M1
Z GHU05Z

**40V max XGT® Brushless
30" Single-Sided Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 30" single-sided shear blade for commercial jobs
- Bevel-tipped, curved 3-sided teeth easily catch and hold branches for clean cuts with reduced friction
- Up to 6 hours of run time with 40V XGT® 4.0Ah battery

Blade Length	30"
Blade Configuration	Single sided
Strokes Per Minute	5,000 SPM
Tooth Spacing	1-3/8"
Overall Length	48-1/4"


XGT 40V max

XPT™

GHU04M1
Z GHU04Z

**40V max XGT® Brushless
24" Single-Sided Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 24" single-sided shear blade for commercial jobs
- Bevel-tipped, curved 3-sided teeth easily catch and hold branches for clean cuts with reduced friction
- Up to 6 hours of run time with 40V XGT® 4.0Ah battery

Blade Length	24"
Blade Configuration	Single sided
Strokes Per Minute	5,000 SPM
Tooth Spacing	1-3/8"
Overall Length	42-3/4"





**DELIVERS UP TO
44% MORE BLOWING FORCE***

*Compared to a 25.4cc gas blower




XGT 40V max

XPT

GBU01M1 **Z** GBU01Z
40V max XGT® Brushless Blower Kit

- Up to 44% more blowing force than a 24.5cc gas blower
- Makita-built brushless motor delivers up to 565 CFM and 143 MPH
- Turbo boost mode delivers 565 CFM for heavy debris
- Cruise control lever with variable speed trigger adjusts between 0 - 476 CFM for power and run time management

Max. Air Volume	565 CFM
Max. Air Velocity	143 MPH
Sound Pressure (per ANSI B175.2 standard)	59 dB(A)
Overall Length	36"
Net Weight (with battery)	7.7 lbs.



XGT 40V max

XPT

GGD01M1 **Z** GGD01Z
40V max XGT® Brushless Earth Auger Kit

- Makita-built brushless motor delivers power of a 36cc gas earth auger
- Automatic Speed Change™ technology adjusts drill speed and torque during drilling
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Drill holes up to 8" wide and 41" deep (extension bar, auger bit and blades sold separately)


No Load Speed (var. 2 spd)	0 - 400 / 0 - 1,500 RPM
Maximum Hole Diameter (in.)	8"
Maximum Hole Depth (in.)	41"
Overall Length	34"
Net Weight (with battery)	17.09 lbs.




EARTH AUGER DRILL BITS



E-07347
4" Earth Auger Drill Bit



E-07353
6" Earth Auger Drill Bit



E-07369
8" Earth Auger Drill Bit



E-07375
Earth Auger Drill Bit 21" Extension Bar

40V max XGT® Lithium-Ion Batteries

GOING BEYOND LIMITS



2.5 Ah BATTERY



4.0 Ah BATTERY



5.0 Ah BATTERY



8.0 Ah BATTERY

HIGHER OUTPUT
POWER
UP TO **2X LONGER RUN TIME**

COMPACT SIZE

LONGER RUN TIME

BL4025
40V max XGT®
2.5Ah Battery

28 MIN.
CHARGE TIME

BL4040
40V max XGT®
4.0Ah Battery

45 MIN.
CHARGE TIME

BL4050F
40V max XGT®
5.0Ah Battery

50 MIN.
CHARGE TIME

BL4080F
40V max XGT®
8.0Ah Battery

76 MIN.
CHARGE TIME

XGT® Chargers



**40V max
Rapid Optimum Charger
DC40RA**

- Charges a 40V max XGT® 2.5Ah battery in 28 minutes, and 4.0Ah battery in 45 minutes
- Built-in chip communicates during the charging process to control current, voltage, and temperature



**40V max
Dual Port Rapid Optimum Charger
DC40RB**

- Charges a 40V max XGT® 2.5Ah battery in 28 minutes, and 4.0Ah battery in 45 minutes
- Three fan design circulates air through the batteries and circuit board for faster charging



**18V LXT® Adapter
for XGT® Chargers
ADP10**

- Charges a 40V max XGT® 2.5Ah battery in 28 minutes, and 4.0Ah battery in 45 minutes
- Three fan design circulates air through the batteries and circuit board for faster charging

Backpack Power Supply

**CONNECTX™**

**ConnectX™ 1,200Wh
Portable Backpack Power Supply
PDC1200A01**

- Ideal for all day work; expected run times with PDC1200A01 may vary by product, application, and workday amount
- Powers ConnectX™, 40V max XGT® and LXT® 18V X2 (36V) systems for ultimate compatibility (40V max adapter sold separately)



191N62-4
40V max XGT® Adapter
(PDC1200A01, PDC01)

LXT[®] 18V | 36V

ONE SYSTEM. ENDLESS POSSIBILITIES.

The LXT[®] System is the world's largest compatible cordless tool system powered by 18V slide-style batteries. Makita's purpose-built motors, battery technology, and enhanced communications work together to deliver unmatched power, speed, and run time. Get maximum performance and efficiency with LXT Products for every trade.


18V



300+
PRODUCTS*
ONE SYSTEM
ENDLESS POSSIBILITIES




MAXIMUM PERFORMANCE




LXT® BATTERY

UP TO **50% MORE RUN TIME**¹




RAPID OPTIMUM CHARGER

UP TO **3X FASTER CHARGING**²



PURPOSE-BUILT BRUSHLESS MOTOR

UP TO **50% LONGER MOTOR LIFE**³



STAR PROTECTION COMPUTER CONTROLS™

EFFICIENT POWER MANAGEMENT⁴

¹ Vs. Makita® 18v Ni-Cd Battery. ² Vs. Makita® 18v Ni-Cd Charger. ³ In 2022. ⁴ Vs. Makita® Cordless Motors with Brushes. ⁴ Protection against Overloading, Over-Discharging & Overheating.

36V



Learn More at makitatools.com/LXT



***CUTS UP TO 2/3 ACRE
IN 60 MINUTES OR LESS****



XML08PT1

36V (18V X2) LXT® Brushless 21"
Self-Propelled Commercial Lawn
Mower Kit w/ 4 Batteries

Powered by (2) 18V LXT® batteries
with the option to insert (2) additional
batteries for extended run time

*With (4) 18V LXT batteries

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

SELF-PROPELLED
STEEL DECK

**XML08PT1**

XML08Z

36V (18V X2) LXT® Brushless 21" Self-Propelled Commercial Lawn Mower Kit w/ 4 Batteries

- Cuts up to 2/3 acre in 60 minutes or less with (4) 18V LXT® 5.0 Ah batteries
- Rear-wheel drive self-propelled technology for improved traction and performance on incline slopes and uneven terrain
- 4 bay battery system for 2 times more run time
- Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge

Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	2,800
Bag Capacity(Bushels)	2

SELF-PROPELLED
ALUMINUM DECK

**XML09PT1**

XML09Z

36V (18V X2) LXT® Brushless 21" Self-Propelled Commercial Lawn Mower Kit w/ 4 Batteries

- Cuts up to 2/3 acre in 60 minutes or less with (4) 18V LXT® 5.0 Ah batteries
- Rear-wheel drive self-propelled technology for improved traction and performance on incline slopes and uneven terrain
- 4 bay battery system for 2 times more run time
- Commercial-grade aluminum deck resists corrosion for demanding applications
- 3-in-1 design allows for mulching, bagging or rear discharge

Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	2,800
Bag Capacity(Bushels)	2

STEEL DECK

**XML07PT1**

XML07Z

36V (18V X2) LXT® Brushless 21" Commercial Lawn Mower w/ 4 Batteries

- Cuts up to 2/3 acre in 60 minutes or less with (4) 18V LXT® 5.0 Ah batteries
- 4 bay battery system for 2 times more run time
- Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (1-1/4" – 4")

Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	2,800
Bag Capacity(Bushels)	2

SELF-PROPELLED
STEEL DECK

**XML06PT1**

XML06Z

36V (18V X2) LXT® Brushless 18" Self-Propelled Commercial Lawn Mower Kit w/ 4 Batteries

- Compact 19" deck ideal for detailed landscaping
- 4 bay battery system for 2 times more run time
- Commercial-grade steel deck
- 2-in-1 design allows for mulching or bagging
- Single lever quickly adjusts cutting height (1-1/4" – 4")

Cutting Width	18"
Deck Width	19"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	3,300
Bag Capacity(Bushels)	1.7

SELF-PROPELLED
COMPOSITE DECK

**XML11CT1**

XML11Z

36V (18V X2) LXT® 21" Self-Propelled Lawn Mower Kit w/ 4 Batteries

- Delivers up to 50 minutes of run time with four LXT® 5.0Ah batteries
- Rear-wheel drive self-propelled technology for improved traction and performance on incline slopes and uneven terrain
- Ergonomic composite deck weighs less for reduced required push force and easier transport
- Folding handle for compact upright storage
- 3-in-1 design allows for mulching, bagging or rear discharge

Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	3,000
Bag Capacity(Bushels)	2

COMPOSITE DECK

**XML10CT1**

XML10Z

36V (18V X2) LXT® 21" Lawn Mower Kit w/ 4 Batteries

- Delivers up to 50 minutes of run time with four LXT® 5.0Ah batteries
- Ergonomic composite deck weighs less for reduced required push force and easier transport
- Folding handle for compact upright storage
- 3-in-1 design allows for mulching, bagging or rear discharge
- Single lever quickly adjusts cutting height (1-1/4" – 4")

Cutting Width	21"
Deck Width	22"
Cutting Height Range	1-1/4" - 4"
Maximum Speed (RPM)	3,000
Bag Capacity(Bushels)	2

COMPOSITE DECK

**XML05PT**

XML05Z

36V (18V X2) LXT® 17" Residential Lawn Mower Kit

- Compact 18" deck ideal for detailed landscaping
- Ergonomic composite deck weighs less for reduced required push force
- 2-in-1 design allows for mulching or bagging (191D46-2 Mulching Plug sold separately)
- Single lever quickly adjusts cutting height (13/16" – 3")

Cutting Width	17"
Deck Width	18"
Cutting Height Range	13/16" - 3"
Maximum Speed (RPM)	3,600
Bag Capacity(Bushels)	1.4

COMING SOON



LXT

XML12SM1

18V LXT® 13" Lawn Mower Kit

XPT

XML12Z

*AUTOMATIC TORQUE DRIVE
FOR EXTENDED RUN TIME*



XRU15PT
36V (18V X2) LXT® Brushless
String Trimmer Kit

3 speed options (Low: 3,500 RPM,
Medium: 5,300 RPM, High: 6,500 RPM)
for power management.

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

**XR16PT****36V (18V X2) LXT® Brushless Brush Cutter Kit**

- Makita-built Brushless Motor provides power equivalent to a 30cc gas brush cutter
- Automatic Torque Drive Technology mode automatically shifts from 4,600-7,000 RPM for extended run time or added power
- Variable speed trigger switch for controlled cutting speed
- Steel drive shaft for less vibration and longer equipment life

Blade Diameter	9"
No Load Speed (var. 3 spd.)	0 - 4,600 / 0 - 5,500 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72-1/2"
Net Weight (with battery)	16.8 lbs.

**XR17PT****36V (18V X2) LXT® Brushless String Trimmer Kit**

- Makita-built Brushless Motor provides power equivalent to a 30cc gas string trimmer
- Automatic Torque Drive Technology mode automatically shifts from 4,600-7,000 RPM for extended run time or added power
- Variable speed trigger switch for controlled cutting speed
- Steel drive shaft for less vibration and longer equipment life

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,600 / 0 - 5,500 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72-1/2"
Net Weight (with battery)	13.7 lbs.

**XR18PT****36V (18V X2) LXT® Brushless String Trimmer Kit**

- Makita-built Brushless Motor provides power equivalent to a 30cc gas string trimmer
- Automatic Torque Drive Technology mode automatically shifts from 4,000-6,000 RPM for extended run time or added power
- Variable speed trigger switch for controlled cutting speed
- Steel drive shaft for less vibration and longer equipment life

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,000 / 0 - 4,600 / 0 - 6,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72-1/2"
Net Weight (without battery)	10.8 lbs.

**XR15PT****36V (18V X2) LXT® Brushless String Trimmer Kit**

- Makita-built Outer Rotor Brushless Motor direct-drive system provides high power and increased torque
- Automatic Torque Drive Technology mode automatically shifts from 3,500-6,500 RPM for extended run time or added power
- 3 speed options for power management
- Up to 90 minutes of run time with two 18V LXT® 5.0Ah batteries

Cutting Swath	15"
No Load Speed (3 spd)	3,500/5,300/6,500 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	69-1/4"
Net Weight (with battery)	10.4 lbs.

**XR23SM1****18V LXT® Brushless 13" String Trimmer Kit**

- Brushless Motor delivers up to 6,000 RPM
- High/Low button for power and run time management
- Variable speed trigger for controlled cutting speed
- Up to 1 hour of run time with 18V LXT® 4.0Ah battery

Cutting Swath	13"
No Load Speed (var. 2 spd)	0 - 4,500 / 0 - 6,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	67"
Net Weight (with battery)	6.6 lbs.

**XR13Z****18V LXT® Brushless Curved Shaft String Trimmer**

- Telescoping curved shaft adjusts (59-3/4" - 63-3/4" length) for convenient operation in tight places
- Automatic Torque Drive Technology mode automatically shifts from 4,000-6,000 RPM for extended run time or added power
- 3 speed options for power management
- Up to 80 minutes of run time with 18V LXT® 4.0Ah battery (battery not included)

Cutting Swath	11-3/4"
No Load Speed (3 spd)	4,000/5,000/6,000 RPM
Arbor Shaft	M8 x 1.25 RH
Overall Length	63-3/4"
Net Weight (with battery)	7.3 lbs.

**XR002Z****18V LXT® String Trimmer**

- Compact size ideal for precision trimming and edging
- 2-tools-in-1: 180° rotating head allows the trimmer to convert to edger
- Telescoping shaft (48-1/2" to 56-1/2") for optimum cutting position
- Up to 1 hour of run time with 18V LXT® 5.0Ah battery (battery not included)

Cutting Swath	10-1/4"
No Load Speed	7,800 RPM
Arbor Shaft	N/A
Overall Length	56-1/2"
Net Weight (with battery)	6.4 lbs.

COMING SOON**XR24Z****18V LXT® String Trimmer**

*COUPLE SHAFT CAN BE USED WITH
MULTIPLE OTHER ATTACHMENTS***



XUX02SM1X4

18V LXT® Brushless Power Head Kit
w/ 13" String Trimmer & 10" Pole
Saw Attachments

Lever Style Lock System Allows for
Quick Tool-Less Installation and
Replacement of Attachments

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

PICK YOUR ATTACHMENT

**XUX01M5PT****XUX01Z****36V (18V X2) LXT® Brushless Power Head Kit w/ 17" String Trimmer Attachment**

- Makita-built Brushless Motor delivers up to 7,100 RPM for faster cutting
- Lever style lock system allows for quick tool-less installation and replacement of attachments
- 3-speed options and variable speed trigger for power management
- Variable speed trigger for controlled cutting speed

Cutting Swath	17"
No Load Speed (var. 3 spd.)	0 - 4,200 / 0 - 6,000 / 0 - 7,100 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	72-3/4"
Net Weight (with battery)	12.5 lbs.

Part #	Fits Models
EM405MP 17" String Trimmer Couple Shaft Attachment Arbor M10 x 1.25 LH	XUX01Z
EM403MP 17" Brush Cutter Couple Shaft Attachment Arbor M10 x 1.25 LH	
ER400MP 17" Curved String Trimmer Couple Shaft Attachment Arbor M8 x 1.25 RH	
EM409MP 13" String Trimmer Couple Shaft Attachment Arbor M10 x 1.25 LH	XUX02Z, XUX01Z
EN420MP 10" Articulating Hedge Trimmer Couple Shaft Attachment 180° Blade Adjustment 10" Blade Length	
EN401MP 20" Articulating Hedge Trimmer Couple Shaft Attachment 180° Blade Adjustment 20" Blade Length	
EN410MP 20" Hedge Trimmer Couple Shaft Attachment 20" Blade Length	

Part #	Fits Models
EY402MP 10" Pole Saw Couple Shaft Attachment 10" Bar Length	XUX02Z, XUX01Z
LE400MP Shaft Extension Couple Shaft Attachment 42" Length	
EE400MP Edger Couple Shaft Attachment* 8" Blade Diameter *for use with EX2650LH Only	
KR401MP Cultivator Couple Shaft Attachment 8" Tine Diameter	
UB401MP Blower Couple Shaft Attachment 515 CFM, 130 MPH (w/ XUX01Z)	
BR400MP Bristle Brush Couple Shaft Attachment 23-5/8" Sweeping Surface	
SW400MP Paddle Sweep Couple Shaft Attachment 23-1/4" Sweeping Surface	

ALSO AVAILABLE
 (SEE PAGE 13)

XGT
 40V | 80V max

GUX01JM1X1
 40V max XGT® Brushless Couple Shaft Power Head Kit w/ 17" String Trimmer Attachment
**XUX02SM1X4****XUX02Z****18V LXT® Brushless Power Head Kit w/ 13" String Trimmer & 10" Pole Saw Attachments**

- Lever style lock system allows for quick tool-less installation and replacement of attachments
- High/Low speed button for power and run time management
- Variable speed trigger for controlled cutting speed
- 13" String Trimmer Attachment includes rapid loading bump and feed trimmer head that loads line in seconds with 3 easy steps: align, feed and twist

Cutting Swath	13"
No Load Speed (var. 2 spd.)	0 - 5,000 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Guide Bar Length	10"
Chain Speed	3,940 FPM

**XUX02SM1X3****XUX02Z****18V LXT Brushless Power Head Kit w/ 13" String Trimmer & Blower Attachments**

- Makita-built brushless motor delivers up to 7,000 RPM with 13" String Trimmer Attachment and up to 438 CFM and 111 MPH with Blower Attachment
- Lever style lock system allows for quick tool-less installation and replacement of attachments
- High/Low speed button for power and run time management
- Variable speed trigger for controlled cutting speed

Cutting Swath	13"
No Load Speed (var. 2 spd.)	0 - 5,000 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Max. Air Volume	438 CFM
Max. Air Velocity	111 MPH

**XUX02SM1X2****XUX02Z****18V LXT® Brushless Power Head Kit w/ 13" String Trimmer & 20" Articulating Hedge Trimmer Attachments**

- Lever style lock system allows for quick tool-less installation and replacement of attachments
- High/Low speed button for power and run time management
- Variable speed trigger for controlled cutting speed
- 13" String Trimmer Attachment includes rapid loading bump and feed trimmer head that loads line in seconds with 3 easy steps: align, feed and twist

Cutting Swath	13"
No Load Speed (var. 2 spd.)	0 - 5,000 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Blade Length	20"
Strokes Per Minute	4,000 SPM

**XUX02SM1X1****XUX02Z****18V LXT® Brushless Power Head Kit w/ 13" String Trimmer Attachment**

- Lever style lock system allows for quick tool-less installation and replacement of attachments
- High/Low speed button for power and run time management
- Variable speed trigger for controlled cutting speed
- 13" String Trimmer Attachment includes rapid loading bump and feed trimmer head that loads line in seconds with 3 easy steps: align, feed and twist

Cutting Swath	13"
No Load Speed (var. 2 spd.)	0 - 5,000 / 0 - 7,000 RPM
Arbor Shaft	M10 x 1.25 LH
Overall Length	71-1/2"
Net Weight (with battery)	9.2 lbs.

LXT 18V | 36V

*BRUSHLESS MOTOR DELIVERS
459 CFM AND 116 MPH*



XBU03SM1
18V LXT® Brushless
Blower Kit

Makita-built Brushless Motor
Delivers up to 459 CFM
and 116 MPH

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

**XBU04PTV****36V (18V X2) LXT® Brushless Blower Kit with Vacuum Attachment Kit****XBU04Z**

- Makita-built Brushless Motor delivers up to 473 CFM and 120 MPH
- 3-tools-in-1: vacuum, mulcher and blower for convenient clean-up
- Easily converts from blower to vacuum / mulcher with Vacuum Attachment Kit
- 10:1 mulch ratio reduces up to 10 bags of leaves down to 1 bag with shredding blade

Max. Air Volume	473 CFM
Max. Air Velocity	120 MPH
Air Flow Rate	448 CFM
Static Water Lift	13"
Bag Capacity(Bushels)	1.4

**XBU04PT****36V (18V X2) LXT® Brushless Blower Kit****XBU04Z**

- Makita-built Brushless Motor delivers up to 473 CFM and 120 MPH
- Cruise control lever with variable speed trigger for power and run time management
- Speed lock for convenient continuous operation
- Easily converts from blower to vacuum / mulcher (vacuum kit sold separately)

Max. Air Volume	473 CFM
Max. Air Velocity	120 MPH
Sound Pressure (per Ansi B175.2 standard)	61 dB(A)
Overall Length	33"
Net Weight (with battery)	11.2 lbs.

**XBU02PT****36V (18V X2) LXT® Brushless Blower Kit****XBU02Z**

- Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- 6-stage air velocity/volume selection dial with variable speed control trigger
- Speed lock-on button for convenient continuous operation
- In-line fan design provides better tool balance and improved ergonomics

Max. Air Volume	473 CFM
Max. Air Velocity	120 MPH
Sound Pressure (per Ansi B175.2 standard)	61 dB(A)
Overall Length	36-5/8"
Net Weight (with battery)	9 lbs.

**XBU02PT****PRODUCT FEATURES****POWER**

Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume

INNOVATION

6-stage air velocity/volume selection dial with variable speed control trigger

**LXT® BRUSHLESS****XBU03SM1****18V LXT® Brushless Blower Kit****XBU03Z**

- Makita-built Brushless Motor delivers up to 459 CFM and 116 MPH
- Cruise control lever with variable speed trigger for power and run time management
- Speed lock for convenient and continuous operation
- In-line fan design provides better tool balance and improved ergonomics

Max. Air Volume	459 CFM
Max. Air Velocity	116 MPH
Sound Pressure (per Ansi B175.2 standard)	60 dB(A)
Overall Length	32-1/2"
Net Weight (with battery)	6.5 lbs.

**X2****XBU01PT****36V (18V X2) LXT® Blower Kit****XBU01Z**

- Makita-built motor delivers up to 155 CFM and 208 MPH
- High/Low button for power and run time management
- Long nozzle with wide end for sweeping large floor areas
- Streamlined design for better tool balance and improved ergonomics

Max. Air Volume	155 CFM
Max. Air Velocity	208 MPH
Sound Pressure (per Ansi B175.2 standard)	60.6 dB(A)
Overall Length	36-1/4"
Net Weight (with battery)	8 lbs.

**LXT®****XBU06Z****18V LXT® Floor Blower**

- Powerful motor delivers up to 113 CFM and 152 MPH
- 3 speed options for power and run time management
- Long nozzle with wide end for sweeping large floor areas
- Compact and ergonomic design

Max. Air Volume	113 CFM
Max. Air Velocity	152 MPH
Overall Length	33"
Net Weight (with battery)	4.6 lbs.
Net Weight (without battery)	3.2 lbs.

**LXT®****XBU05ST1****18V LXT® Blower Kit****XBU05Z**

- Powerful variable 3-speed motor produces a maximum air velocity of 219 MPH
- Up to 17 minutes of continuous operation at high speed with a 5.0Ah 18V LXT® battery
- Up to 130 minutes of continuous operation at low speed with a 5.0Ah 18V LXT® battery
- Compact and ergonomic design at only 20-3/8" long

Max. Air Volume	113 CFM
Max. Air Velocity	219 MPH
Overall Length	20-3/8"
Net Weight (with battery)	4.1 lbs.
Net Weight (without battery)	2.7 lbs.

*DELIVERS THE POWER OF A
32cc GAS CHAIN SAW*



XCU04PT
36V (18V X2) LXT® Brushless
16" Chain Saw Kit

"Tool-less" chain adjustment
for convenient operation and
maintenance

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

**XCU07PT****36V (18V X2) LXT® Brushless 14" Chain Saw Kit****Z XCU07Z**

- Makita-built Outer Rotor Brushless Motor direct-drive system provides power of a 32cc gas chain saw
- Lateral chain tensioning with dual stud for efficient chain retention
- Captured bar nuts are retained in sprocket cover for convenient setup and maintenance
- Adjustable automatic chain lubrication with large oil reservoir

Guide Bar Length	14"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	3,940 FPM
Net Weight (with battery)	11.2 lbs.

**XCU03PT****36V (18V X2) LXT® Brushless 14" Chain Saw Kit****Z XCU03Z**

- Makita-built Outer Rotor Brushless Motor direct-drive system provides power of a 32cc gas chain saw
- "Tool-less" chain adjustment for convenient operation and maintenance
- Adjustable automatic chain lubrication with large oil reservoir
- High chain speed for improved cutting performance

Guide Bar Length	14"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	3,940 FPM
Net Weight (with battery)	11 lbs.

**XCU04PT****36V (18V X2) LXT® Brushless 16" Chain Saw Kit****Z XCU04Z**

- Makita-built outer rotor brushless motor direct-drive system delivers power of a 32cc gas chain saw
- "Tool-less" chain adjustment for convenient operation and maintenance
- Adjustable automatic chain lubrication with large oil reservoir
- High chain speed for improved cutting performance

Guide Bar Length	16"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	3,940 FPM
Net Weight (with battery)	11.1 lbs.

COMING SOON**LXT BRUSHLESS****XCU12SR1****Z XCU12Z****18V LXT® Brushless
4" Pruning Saw Kit****LXT BRUSHLESS****XCU11SM1****Z XCU11Z****18V LXT® Brushless
14" Chain Saw Kit**



XCU09PT

36V (18V X2) LXT® Brushless 16" Top Handle Chain Saw Kit

- Makita-built Outer Rotor Brushless Motor direct-drive system provides power equivalent to a 30cc gas chain saw
- Lateral chain tensioning with dual stud for efficient chain retention
- Torque boost mode for cutting dense material
- Top handle design built for the professional tree care industry delivers performance equivalent to gas

Guide Bar Length	16"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	3,940 FPM
Net Weight (with battery)	10.3 lbs.



XCU08PT

36V (18V X2) LXT® Brushless 14" Top Handle Chain Saw Kit

- Makita-built Outer Rotor Brushless Motor direct-drive system provides power equivalent to a 30cc gas chain saw
- Lateral chain tensioning with dual stud for efficient chain retention
- Torque boost mode for cutting dense material
- Top handle design built for the professional tree care industry delivers performance equivalent to gas

Guide Bar Length	14"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	3,940 FPM
Net Weight (with battery)	10.2 lbs.



XCU10SM1

18V LXT® Brushless 12" Top Handle Chain Saw Kit

- Makita-built Outer Rotor Brushless Motor direct-drive system provides power equivalent to a 22cc gas chain saw
- Up to 150 cuts in 2x2 cedar with 18V LXT® 4.0Ah battery
- Torque boost mode for cutting dense material
- Captured bar nut and lateral chain tensioning for convenient operation and maintenance

Guide Bar Length	12"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	4,720 FPM
Net Weight (without battery)	5.4 lbs.




XCU06SM1

18V LXT® Brushless 10" Top Handle Chain Saw Kit

- Makita-built outer rotor brushless motor direct-drive system provides high power efficiency
- Torque boost mode for cutting dense material
- Variable speed trigger and high chain speed (0-4,720 FPM) for improved cutting performance
- Compact top handle design built for the professional tree care industry

Guide Bar Length	10"
Pitch	3/8" LP
Gauge	.043"
Chain Speed	4,720 FPM
Net Weight (without battery)	5.2 lbs.

**XAU02PTB****36V (18V X2) LXT® Brushless 10" Telescoping Pole Saw Kit, 13' Length****XPT** XAU02ZB

- Telescoping shaft easily adjusts length from 9 ft. to 13 ft. allowing access to hard-to-reach branches
- Makita-built Brushless Motor provides power of a 30cc gas pole saw
- 20% faster cutting speed than a 31.4cc gas engine pole saw
- Lateral chain tensioning with single stud for efficient chain retention

Guide Bar Length	10"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	3,940 FPM
Overall Length (ft.)	9' - 13'

**XAU01PTB****36V (18V X2) LXT® Brushless 10" Pole Saw Kit, 8' Length****XPT** XAU01ZB


- Makita-built Brushless Motor delivers power of a 30cc gas pole saw
- Up to 140 cuts in 4x4 cedar with two 18V LXT® 5.0Ah batteries
- 20% faster cutting speed than a 31.4cc gas engine pole saw
- Torque boost mode powers through thick or hard branches

Guide Bar Length	10"
Pitch	3/8" LP
Gauge	.050"
Chain Speed	3,940 FPM
Overall Length (ft.)	8'



XAU02PTB

PRODUCT FEATURES

**DESIGN**

Telescoping shaft easily adjusts from 9 ft. to 13 ft. allowing access to hard-to-reach branches

**RUN TIME**

Up to 140 cuts in 4x4 cedar with two 18V LXT® 5.0Ah batteries

**POWER**

Makita-built Brushless Motor delivers power of a 30cc gas pole saw

**SPEED**

20% faster cutting speed than a 31.4cc gas engine pole saw

*BRUSHLESS MOTOR
DELIVERS UP TO 4,400 SPM*



XNU01T

18V LXT® Brushless
20" Articulating Pole
Hedge Trimmer Kit

6 Angle Settings for Efficient
Trimming of Overhead and
Low-lying Hedges

300+
PRODUCTS
ONE SYSTEM
ENDLESS POSSIBILITIES

**LXT BRUSHLESS****XHU07T****18V LXT® Brushless 24" Hedge Trimmer Kit**

- Up to 2-1/2 hours of run time with 18V LXT® 5.0Ah battery
- 24" dual action double-sided shear blade provides optimal performance
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- Reverse function for clearing jams

XHU07Z

Blade Length	24"
Strokes Per Minute	4,400 SPM
Tooth Spacing	1"
Overall Length	44-1/4"
Net Weight (with battery)	8.65 lbs.

**XHU04PT****36V (18V X2) LXT® 25-1/2" Hedge Trimmer Kit**

- Up to 2 hours of run time on low setting with two 18V LXT® 5.0Ah batteries
- 25-1/2" dual action double-sided shear blade for increased cutting capacity
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 6 speed dial (0 - 3,600 SPM) allows the user to match the speed to the application

XHU04Z

Blade Length	25-1/2"
Strokes Per Minute	3,600 SPM
Tooth Spacing	1-7/16"
Overall Length	48-1/2"
Net Weight (with battery)	12.2 lbs.

**LXT BRUSHLESS****XHU08T****18V LXT® Brushless 30" Hedge Trimmer Kit**

- Up to 2 hours of run time with 18V LXT® 5.0Ah battery
- 30" dual action double-sided shear blade provides increased cutting capacity
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- Reverse function for clearing jams

XHU08Z

Blade Length	30"
Strokes Per Minute	4,400 SPM
Tooth Spacing	1"
Overall Length	49-3/4"
Net Weight (with battery)	9.05 lbs.

COMING SOON**LXT BRUSHLESS****XHU09M1****18V LXT® Brushless 24" Hedge Trimmer Kit**
XHU09Z



XH02M1
18V LXT® 22" Hedge Trimmer Kit

- Up to 90 minutes of run time with 18V LXT® 4.0Ah battery
- 22" dual action double-sided shear blade for precision cutting
- Compact and ergonomic design for easy maneuverability
- Weighs only 7.4 lbs. with battery for reduced operator fatigue



Blade Length	22"
Strokes Per Minute	2,700 SPM
Tooth Spacing	15/16"
Overall Length	38"
Net Weight (with battery)	7.4 lbs.


XNU02Z
18V LXT® Brushless 24" Pole Hedge Trimmer Kit

- Up to 75 minutes of run time with 18V LXT® 5.0Ah battery
- Ergonomic design provides superior maneuverability and balance
- 24" dual action double-sided shear blade for optimal performance
- Weighs up to 30% less than gas models



Blade Length	24"
Strokes Per Minute	4,400 SPM
Tooth Spacing	1-3/8"
Overall Length	80-1/2"
Net Weight (with battery)	8.7 lbs.


XNU01Z
18V LXT® Brushless 20" Articulating Pole Hedge Trimmer Kit

- Up to 80 minutes of run time with 18V LXT® 5.0Ah battery
- 6 angle settings for efficient trimming of overhead and low-lying hedges; 115° working range
- 20" dual action double-sided shear blade for optimal performance
- Weighs up to 35% less than gas models



Blade Length	20"
Strokes Per Minute	4,400 SPM
Tooth Spacing	1-3/8"
Overall Length	83-1/4"
Net Weight (with battery)	9.2 lbs.


XNU05SM1
18V LXT® 18" Telescoping Articulating Pole Hedge Trimmer Kit

- Makita-built motor delivers up to 3,600 SPM for faster cutting
- 10 angle settings with 135° working range for efficient trimming of overhead and low-lying hedges
- Telescoping shaft easily adjusts length from 6 ft. to 8 ft. allowing access to hard-to-reach hedges
- 18-1/8" dual action double-sided shear blade
- Over 90 minutes of run time using an 18V LXT® 4.0Ah battery
- Weighs up to 60% less than gas models



Blade Length	18-1/8"
Strokes Per Minute	3,600 SPM
Tooth Spacing	1-1/8"
Net Weight (with battery)	7.3 lbs.
Net Weight (without battery)	5.9 lbs.


LXT
XMU04ZX
18V LXT® Grass Shear with Hedge Trimmer Blade

- Up to 3 hours of run time with 18V LXT® 5.0Ah battery (battery not included)
- Makita-built motor delivers up to 2,500 SPM for efficient cutting
- 2-in-1 quick blade change from grass shear to hedge trimmer
- 6-5/16" shear blade with dual cutting action for maximum efficiency

Cutting Capacity (width)	6-5/16"
Strokes Per Minute	2,500 SPM
Depth Adjustment Range	9/16", 3/4", 1"
Overall Length	13-7/8"
Net Weight (without battery)	2.4 lbs.


LXT
XMU04Z
18V LXT® 6-5/16" Grass Shear

- Up to 3 hours of run time with 18V LXT® 5.0Ah battery (battery not included)
- Makita-built motor delivers 2,500 SPM for efficient cutting
- 6-5/16" blade with dual cutting action for maximum efficiency
- Non-electrolyzed nickel plated blades engineered to resist staining and rusting

Cutting Capacity (width)	6-5/16"
Strokes Per Minute	2,500 SPM
Depth Adjustment Range	9/16", 3/4", 1"
Overall Length	13-7/8"
Net Weight (without battery)	2.4 lbs.


LXT
XMU05Z
18V LXT® 4-5/16" Grass Shear

- Makita motor delivers 2,500 SPM for efficient cutting
- Up to 2 hours of run time with 18V LXT® 5.0Ah battery (battery not included)
- 4-5/16" blade with dual cutting action for precision performance
- Tool-less shear blade change for increased convenience

Cutting Capacity (width)	4-5/16"
Strokes Per Minute	2,500 SPM
Overall Length	11-3/4"
Net Weight (without battery)	2.3 lbs.
Net Weight (with battery)	3.7 lbs.


LXT
XSU03Z
NEW
18V LXT® 1.3 Gallon Sprayer

- Motor delivers immediate and consistent pressure up to 38 PSI
- Sprays up to 90 gallons with 18V LXT® 5.0Ah battery (battery sold separately)
- Variable mist or jet nozzles adjust pressure between 19-38 PSI
- Select between 1 nozzle head for targeted spraying or 2 nozzle heads to cover a wider area

Maximum Pressure	38 PSI
Minimum Pressure	19 PSI
Capacity (Gallons)	1.3 gal.
Hose Length (in.)	27"
Net Weight (without battery)	6.1 lbs.



XSU03Z

PRODUCT FEATURES

VERSATILITY

Variable mist or jet nozzles adjust pressure between 19-38 PSI

CONTROL

Select between 1 nozzle head for targeted spraying or 2 nozzle heads to cover a wider area

COMING SOON

LXT BRUSHLESS
XSU02Z
18V LXT® 4 Gallon Backpack Sprayer

LXT
XSU01Z
18V LXT® 2.6 Gallon Backpack Sprayer

CORDLESS POWER TO CUT THROUGH CONCRETE & METAL



XEC01PT1 36V (18V X2) LXT® Brushless 9" Power Cutter Kit w/ 4 Batteries

- Eliminates the hassles of gas with lower weight, reduced maintenance, and zero emissions allowing use in indoor environments
- The Brushless Motor powered by two 18V LXT® batteries eliminate the hassle of engine pull starts
- Integrated water delivery system with water flow adjustment knob continuously feeds water for OSHA Table 1 Compliance in concrete cutting applications
- Active Feedback-sensing Technology (AFT®) turns the motor off if rotation of the wheel is suddenly forced to stop
- Electric brake stops the wheel in 4 seconds or less allowing for faster re-positioning

Battery	2X 18V LXT® Lithium-Ion
No Load Speed	6,600 RPM
Wheel Diameter	9"
Max. Cutting Depth	3-1/2"
Arbor Size	7/8"



XPT

XEC01Z

XEC01PT1 PRODUCT FEATURES



POWER

The Brushless Motor powered by two 18V LXT® batteries eliminate the hassle of engine pull starts



CAPACITY

Makes single pass cuts up to 3-1/2" in various materials



CONTROL

AFT® turns the motor off if rotation of the wheel is suddenly forced to stop



DUST MANAGEMENT

Integrated water delivery continuously feeds water for OSHA Table 1 Compliance



LXT

XPT

XUC01PTX1**XUC01X1****18V X2 LXT® Brushless Power-Assisted Wheelbarrow Kit**

- Up to 100 minutes of run time with two 18V LXT® 5.0Ah batteries
- Powered by (1) 18V LXT® battery with the option to insert (1) additional battery for extended run time
- Makita-built brushless motor for optimal performance
- Steel bucket provides 3 cu. ft. capacity

Speed Forward (High/Low MPH)	2 / 1 MPH
Speed Reverse (MPH)	.5 MPH
Max. Load Capacity	290 lbs.
Max. Grade	12°
Battery	18V LXT® Lithium-Ion



LXT

XPT

XUC01PTX2**XUC01X2****18V X2 LXT® Brushless Power-Assisted Flat Dolly Kit**

- Up to 100 minutes of run time with two 18V LXT® 5.0Ah batteries
- Powered by (1) 18V LXT® battery with the option to insert (1) additional battery for extended run time
- Makita-built brushless motor for optimal performance
- Large knobs for easy extension of front and side rails

Speed Forward (High/Low MPH)	2 / 1 MPH
Speed Reverse (MPH)	.5 MPH
Max. Load Capacity	290 lbs.
Max. Grade	12°
Battery	18V LXT® Lithium-Ion



EARTH AUGER DRILL BITS



E-07347
4" Earth Auger Drill Bit



E-07353
6" Earth Auger Drill Bit



E-07369
8" Earth Auger Drill Bit



E-07375
Earth Auger Drill Bit 21" Extension Bar



LXT

XPT

XGD01PT**XGD01Z****36V (18V X2) LXT® Brushless Earth Auger Kit**

- Brushless Motor delivers power of a 36cc gas earth auger
- Drill holes up to 8" wide and 41" deep (extension bar, auger bit and blades sold separately)
- High performance digging with even and consistent holes for landscaping, construction and soil sampling
- Ideal for post-hole digging, fence installation, large planting jobs and construction projects

No Load Speed (var. 2 spd)	0 - 350 / 0 - 1,400 RPM
Maximum Hole Diameter (in.)	8"
Maximum Hole Depth (in.)	41"
Overall Length	33"
Net Weight (with battery)	17.9 lbs.



LXT

XPG01S1**XPG01Z****18V LXT® Grease Gun Kit**

- Powerful motor delivers up to 10,000 PSI of Max pressure
- Features two speed modes; Low and Auto-Speed for better control
- Auto-Speed mode applies grease while varying the flow rate automatically matching the resistance of the part being greased
- Variable speed trigger allows the user to adjust discharge rate

Voltage	18V
Battery	18V LXT® Lithium-Ion
Maximum Pressure	10,000 PSI
Maximum Flow Rate	10 fl. oz./min
Lock-On Switch	Yes

Backpack Power Supply



CONNECTX™

ConnectX™ 1,200Wh Portable Backpack Power Supply PDC1200A01

- Ideal for all day work; expected run times with PDC1200A01 may vary by product, application, and workday amount
- Powers ConnectX™, 40V max XGT® and LXT® 18V X2 (36V) systems for ultimate compatibility (40V max adapter sold separately)



LXT®

LXT® and LXT® X2 (36V) Portable Backpack Power Supply PDC01

- Provides up to 4X the run time when used with Makita LXT® 18V products
- Provides up to 2X the run time when used with Makita LXT® 18V X2 (36V) products

Backpack Power Supply Adapters



191J51-5
18V LXT® Adapter
(PDC1200A01, PDC01)



191J50-7
18V LXT® Adapter
(PDC01 Only)



Small Interlocking Case (197210-9) with Optional Inner Tray (839742-7)

- For convenient storage and transportation of batteries
- 839742-7 Inner tray fits Small Interlocking Case 197210-9
- Holds up to 8 batteries
- Interlocking latches secure lid shut and link multiple cases together

18V LXT® Lithium-Ion Batteries



55 Minute
Charge Time



45 Minute
Charge Time



40 Minute
Charge Time



30 Minute
Charge Time



25 Minute
Charge Time

HIGHEST OUTPUT + FAST CHARGE TIME

HIGH OUTPUT + FASTER CHARGE TIME

6.0Ah BATTERY
BL1860B
18V LXT®
6.0Ah Battery

5.0Ah BATTERY
BL1850B
18V LXT®
5.0Ah Battery

4.0Ah BATTERY
BL1840B
18V LXT®
4.0Ah Battery

3.0Ah BATTERY
BL1830B
18V LXT®
3.0Ah Battery

2.0Ah BATTERY
BL1820B
18V LXT® Compact
2.0Ah Battery

LXT® Chargers



18V Rapid Optimum Charger DC18RC

- Charges 18V LXT® 2.0Ah battery in 25 minutes, 3.0Ah in 30 min., 4.0Ah in 40 min., 5.0Ah in 45 min.
- Communicates with the battery's built-in chip during the charging process to optimize battery life



18V 4-Port Charger DC18SF

- Charges 2 18V LXT® 3.0Ah batteries in 60 minutes and 4 18V LXT® 3.0Ah batteries in 120 minutes
- Charges 2 18V LXT® Compact 2.0Ah batteries in 30 minutes and 4 18V 2.0Ah batteries in 60 minutes



18V Dual Rapid Optimum Charger DC18RD

- Charges 2 batteries simultaneously
- Charges two (2) 18V LXT® Lithium-Ion 6.0Ah batteries in only 55 minutes



18V Automotive Charger DC18SE

- Compatible with 12-volt DC outlets found in most autos and trucks
- Charges Makita 18V Lithium-Ion slide-style batteries

CORDED PRODUCTS



UC4051A

16" Electric Chain Saw



- Powerful 14.5 Amp motor for a variety of cutting applications
- Built-in current limiter helps protect motor
- "Tool-less" chain adjustment for convenient operation and maintenance
- Automatic chain oiler for heavy continuous cutting

Guide Bar Length	16"
Pitch	3/8"
Gauge	.050"
Chain Speed	2,900 FPM
Net Weight	12.3 lbs.



UC3551A

14" Electric Chain Saw



- Powerful 14.5 Amp motor for a variety of cutting applications
- Built-in current limiter helps protect motor
- "Tool-less" chain adjustment for convenient operation and maintenance
- Automatic chain oiler for heavy continuous cutting

Guide Bar Length	14"
Pitch	3/8"
Gauge	.050"
Chain Speed	2,900 FPM
Net Weight	12.1 lbs.



UH6570

25" Electric Hedge Trimmer



- Powerful 4.8 Amp motor for a variety of trimming applications
- 25" dual action double-sided shear blade for optimal performance
- Well balanced and with less weight
- Ergonomic grip design for improved comfort and handling

Blade Length	25"
Strokes Per Minute	3,200 SPM
AMPS	4.8
Overall Length	44-3/4"
Net Weight	8.2 lbs.



UH5570

22" Electric Hedge Trimmer



- Powerful 4.8 Amp motor for a variety of trimming applications
- 22" dual action double-sided shear blade for precision cutting
- Well balanced and with less weight
- Ergonomic grip design for improved comfort and handling

Blade Length	22"
Strokes Per Minute	3,200 SPM
AMPS	4.8
Overall Length	40-1/2"
Net Weight	7.9 lbs.



UB1103

Electric Blower



- Two tools in one; quickly converts to a vacuum for added versatility
- Maximum air volume of 145 cfm for faster clean up in larger areas
- Delivers a maximum air speed of 203 MPH for faster job site clean up
-

Max. Air Volume	145 CFM
Max. Air Velocity	203 MPH
AMPS	6.8
Overall Length	18-7/8"
Net Weight	4.3 lbs.

NEW
 HIGH PERFORMANCE GLOVES


T-04117 (S/M)
T-04123 (L/XL)
 FitKnit™ Cut Level 1
 Nitrile Dipped Gloves



T-04139 (S/M)
T-04145 (L/XL)
 Advanced FitKnit™
 Cut Level 7
 Nitrile Dipped Gloves



T-04151 (M)
T-04167 (L)
T-04173 (XL)
 Utility Work Gloves



T-04189 (M)
T-04195 (L)
T-04204 (XL)
 Genuine Leather
 Cow Driver Gloves



T-04210 (M)
T-04226 (L)
T-04232 (XL)
 Genuine Leather-Palm
 Performance Gloves



T-04248 (M)
T-04254 (L)
T-04260 (XL)
 Advanced Impact /
 Demolition Gloves



T-04276 (M)
T-04282 (L)
T-04298 (XL)
 Advanced
 Impact-Rated /
 Demolition Gloves


18V LXT® Lighting


DML805
 Cordless / Corded
 L.E.D. Floodlight



DML802
 L.E.D.
 Flashlight



DML815
 L.E.D.
 Flashlight



DML801
 12 L.E.D.
 Flashlight



DML806
 L.E.D. Lantern /
 Flashlight



DML813
 Tower
 Work Light



DML809
 X2 Cordless /
 Corded Work Light



DML811
 Cordless /
 Corded Work Light



DML812
 L.E.D. Flashlight /
 Spotlight



DML807
 L.E.D. Lantern /
 Flashlight



DML810
 X2 Upright
 L.E.D. Area Light



DML814
 Tower Work /
 Multi-Directional Light

40V max XGT® Lighting


NEW
ML007G
 L.E.D. Flashlight /
 Spotlight



NEW
ML009G
 Cordless
 Work Light



NEW
ML005G
 Cordless
 Work Light



ML003G
 L.E.D.
 Work Light



ML002G
 L.E.D. Lantern/
 Flashlight



ML006G
 18 L.E.D.
 Flashlight

LXT® & XGT® LIGHTING



191R00-0

RAPID LOAD
Bump & Feed Trimmer Head

LOAD LINE IN SECONDS


3 EASY STEPS

3 EASY STEPS

LOAD LINE IN SECONDS



1. ALIGN
Align triangles




















2. FEED
Feed line in direction of "LINE IN" arrow until line is even on each side



3. TWIST
Twist bump knob to wind line

Trimmer Heads

Trimmer Heads			Arbor Size	Gauge & Style	Line Capacity																		
Series	Part #	GRU05				GRU02	GRU03	GRU04	GRU01	GUX01X1	XRU18	XRU17	XRU16	XRU15	XRU23	XRU12	XRU13	EM405MP	EM403MP	ER400MP	XUX01ZM5	EM409MP	XUX02SM1X XUX02ZX1
RAPID LOAD SERIES	 191R00-0 10mm LH Bump & Feed Head	M10 x 1.25 LH	.080" Twist	13' of .080"	●	●	■	■	■	■	●	●	●	●	■	●	●		●	■	■		
	 T-01753A 10mm LH Comfort Trim Bump & Feed Head	M10 x 1.25 LH	.095" Premium Round	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"	●	●	●	●	●	●	●	●	●		●	●		●	●	●			
	 T-02917 8mm LH Comfort Trim Bump & Feed Head	M8 x 1.25 LH	.095" Premium Round	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"										●									
	 T-03187 8mm RH Comfort Trim Bump & Feed Head	M8 x 1.25 RH	.095" Premium Round	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"											●		●						
HIGH CAPACITY SERIES	 B-05119** High Capacity Bump & Feed Head	M10 x 1.25 LH	.095" Premium Round	30 ft. of .080" 20 ft. of .095" 20 ft. of .105" 10 ft. of .130"											●	●			●				
FIXED LINE	 B-02951* Fixed Line Trimmer Head	Universal	.095" Premium Round	5 ft. of .105" 5 ft. of .110" 4 ft. of .130"	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●			
BUMP & AUTO FEED SERIES	 B-60109 Bump & Auto Feed Trimmer Head	LH Universal	.095" Premium Round	17 ft. of .080" 12 ft. of .095" 10 ft. of .105" 9 ft. of .110"	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●		
	 B-60121 Bump & Auto Feed Trimmer Head	RH Universal	.095" Premium Round	20 ft. of .080" 16 ft. of .095" 14 ft. of .105" 13 ft. of .110"										●			●						
BUMP & FEED SERIES	 122980-1 Bump & Feed Trimmer Head	M8 x 1.25 RH	.095" Premium Round	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"										●			■						
	 197297-1 Bump & Feed Trimmer Head	M8 x 1.25 RH	.080" Twisted Quiet	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"										●			●						
	 198386-5 Bump & Feed Trimmer Head	M8 x 1.25 LH	.080" Twisted Quiet	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"											■								
	 198972-2 Bump & Feed Trimmer Head	M8 x 1.25 RH	.080" Twisted Quiet	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"											■			●					
	 197296-3 Bump & Feed Trimmer Head	M10 x 1.25 LH	.080" Twisted Quiet	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"	●	●	●	●	●	●	●	■	●		●	●		●	●	●			
	 198892-0 Bump & Feed Trimmer Head	M10 x 1.25 LH	.080" Twisted Quiet	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"	●	●	●	●	●	●	■	■	●		■	■		■	●	●			
COMPACT SERIES	 198847-5 Single Cutter Trimmer Head	M8 x 1.25 RH	Serrated Single Cutter	—																		■	
	 198853-0 Bump & Feed Trimmer Head	M8 x 1.25 RH	.065" Standard Round	26 ft. of .065"																		■	
	 195858-1 Bump & Feed Trimmer Head	N/A - No Arbor Easy Click Installation	.065" Standard Round	20 ft. of .065"																		■	

• Optional Accessory ■ Standard Equipment





*B-02951 Fixed Line Trimmer Head requires Hex Lock Nut M10-17 (264088-6)

**Recommended for use with gas power head on EM405MP, EM403MP AND EM409MP


Trimmer Line Accessories


	Part #	Gauge & Style	Weight	Quantity
	T-03866	.080" Twist	0.5 lb.	1/pk
	T-03361	.080" Round	1 lb.	1/pk
	T-03377	.080" Round	3 lbs.	1/pk
	T-03408	.095" Round	1 lbs.	1/pk
	T-03414	.095" Round	3 lbs.	1/pk
	T-03420	.095" Round	5 lbs.	1/pk
	T-03442	.105" Round	1 lbs.	1/pk
	T-03458	.105" Round	3 lbs.	1/pk
	T-03464	.105" Round	5 lbs.	1/pk

Brush Cutter Attachments





	Part #	Tooth	Fits Models
	D-74859 9" Brush Cutter Blade	4	GRU02, GRU03, GUX01 (with EM403MP), XRU16, XRU17
	196895-8 10" Brush Cutter Blade	4	GRU02, GRU03, GRU05, XRU16, XRU17
	199872-9 10" Brush Cutter Blade	24	GRU05
	199874-5 10-3/5" Shredder Blade	2	GRU05

Trimmer Accessories





	Part #	Includes	Fits Models
	122906-3 Brush Cutter Harness	Harness	GUX01, GRU03, GRU02, GRU05, XUX01, XRU17, XRU16

	Part #	Size	Fits Models
	197438-9 Brush Cutter Gear Grease N02	2.8 oz	All string trimmer, brush cutter, and hedge trimmer models
	197439-7 Hedge Trimmer Gear Grease N00	2.8 oz	
	199450-5 String Trimmer Gear Grease SG2	2.8 oz	

Earth Auger Drill Bits

	Part #	Description	Includes	Fits Models
	E-07347	Earth Auger Drill Bit (with pin)	4" (100) x 31-1/2" (800)	XGD01, GGD01
	E-07353		6" (150) x 31-1/2" (800)	
	E-07369		8" (200) x 31-1/2" (800)	
	E-07375	Extension Bar (with pin)	21-1/4" (540)	

Earth Auger Accessories

	Part #	Description	Includes	Fits Models
	E-07381	Pin for Earth Auger Drill Bit & Extension bar	—	XGD01, GGD01
	E-07668	Blade for Earth Auger Bit 4" (E-07347)	Sharp Cutter x 1pc., Flat Cutter x 1pc., Screw x 4pcs. and Nut x 4pcs.	
	E-07674	Blade for Earth Auger Bit 6" (E-07353)	Sharp Cutter x 1pc., Flat Cutter x 1pc., Screw x 4pcs and Nut x 4pcs	
	E-07680	Blade for Earth Auger Bit 8" (E-07369)	Sharp Cutter x1pc, Flat Cutter x1pc, Screw x 4pcs and Nut x 4pcs	

Chain Saw Guide Bars & Chains



Guide Bar																										Saw Chain	Drive Links	Chain Type	File Size						
	Length	Pitch	Gauge	Mount #	Bar Style	GCU01	GCU02	GCU03	GCU05	GCU04	GCU06	GAU02	GAU01	XCU12	XCU06	XCU10	XCU08	XCU09	XCU07	XCU03	XCU04	EY402MP	EY401MP	XAU02	XAU01					UC3551A	UC4051A				
1910W0-3	4"	.325" LP	.043"	-	SNL									■														E-17784	26	80TXL	5/32"				
E-00044	10"	3/8" LP	.043"	A041	SNL	●	●	●				●	●		■	●	●	●				●		●	●			E-02434	40	90PX	4.5mm				
E-12734	10"	3/8" LP	.050"	A041	SNL	●	●	●				■	■		●	●	●	●				■		■	■			E-12740	40	91PX	5/32"				
E-00050	10"	3/8" LP	.050"	A041	SNL																		■					E-00212	39	91PX	5/32"				
E-00066	12"	3/8" LP	.043"	A041	SNL	●	●	●	●	●	●	●	●		●	■	●	●	●	●	●	●			●	●	●	●	E-02440	46	90PX	4.5mm			
E-18219	12"	3/8" LP	.050"	A041	SNL	■	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●			●	●	●	●	E-18203	46	91PX	5/32"			
E-00072	14"	3/8" LP	.043"	A041	SNL	●	■	●	●	●	●						■	●	■	■	●					●	●	E-00228	52	90PX	4.5mm				
E-00088	14"	3/8" LP	.050"	A041	SNL	●	●	●	●	●	●						●	●	●	●	●					●	●	E-00234	52	91PX	5/32"				
E-00094	16"	3/8" LP	.043"	A041	SNL	●	●	●	●	●	●						●	■	●	●	■					●	●	E-00240	56	90PX	4.5mm				
E-00103	16"	3/8" LP	.050"	A041	SNL	●	●	■	■	●	●						●	●	●	●	●					●	●	E-00256	56	91PX	5/32"				
E-18231	18"	3/8" LP	.050"	A041	SNL				●	■	■																	E-18225	62	91PX	5/32"				
Special Equipment Carving Bar and Chain																																			
168407-7	10"	1/4"	.050"	A041	HTM	▲	▲	▲	▲	▲	▲	▲																	194098-8	60	25AP	5/32"			

● Optional Accessory ■ Standard Equipment ▲ Requires 1/4" Pitch Sprocket (198259-2)

TIP=Tip Guard SNL=Sprocket Nose Laminated SNR=Sprocket Nose Replaceable HTP=Hard Tip Machined

● Standard Kickback Chain ● Low Kickback Chain

CHAIN SAW ACCESSORIES

Chain Protectors



Part #	Size	Fits Models
458501-6	10"	GAU02, GAU01, XCU06, XAU02, XAU01, EY402MP
419288-5	12-14"	GCU02, GCU01, XCU07, XCU03, XCU10, XCU08, UC3551A
419242-9	16-18"	GCU06, GCU05, GCU04, GCU03, XCU04, XCU09, UC4051A

SAFETY EQUIPMENT

Combo Safety Helmet
986-200-002

- Lightweight design for operator comfort



Chain Saw Case
B-70777

- For use with Makita® chain saws



Regular Chaps

- Durable design with less weight for improved operator comfort
- Easy to put on and adjust to fit operator
- Reduces accidental cuts and scrapes when operating chain saws



Part #	Size
986-200-006	32"
986-200-007	36"
841008-A	38"
986-200-008	40"

BLOWER ACCESSORIES

Vacuum Attachments



Part #	Includes	Fits Models
Vacuum Kit 191E19-1 Commercial design for heavy duty applications	Dust Bag, Elbow, Pipes	XBU04
Shoulder Strap 166094-6 Distributes weight evenly for improved operator comfort during extended use	Shoulder Strap	XBU02, XBU03, XBU04

Blower Nozzles

Part #	Fits Models
 191L13-5 Concentrator Nozzle	XBU03
 197888-8 Extension Nozzle	XBU02, XBU03*, XBU04
 197889-6 Flat Nozzle	XBU02, XBU03*, XBU04

*With 191L13-5 Concentrator Nozzle



POWER CUTTER



14" Thin Kerf Diamond Blade, Segmented
E-16748



14" x 5/32" x 1" Abrasive Cut-Off Wheel, 5/pk
E-12809-5



Pressurized Water Tank
988-394-610



Read, understand and follow all instructions and warnings in tool or charger instruction manual as well as those provided with recommended accessories.

Keep guards in place and in working order.

Use recommended accessories only.

Check damaged parts. (Before further use of the tool, a guard or other part that is damaged should be carefully checked to determine that it will operate properly and perform its intended function). A guard or other part that is damaged should be properly repaired or replaced by an authorized service center.

Keep work area clean. Cluttered areas and benches invite injuries. Consider work area environment. Do not use power tools in damp or wet locations. Keep work area well lit. Do not expose power tools to rain. Do not use tools or chargers in presence of flammable liquids or gases.

Keep children away. All visitors should be kept away from work area.

Store idle tools. When not in use, tools should be stored high or locked up out of reach of children.

Use the right tool. Do not force a small tool or attachment to do the job of a heavy duty tool. Do not use tool or accessories for purpose not intended. Only use proper, recommended accessories for the tool being used. Only use genuine Makita® batteries and chargers.

Dress properly. Do not wear loose clothing or jewelry. They can be caught in moving parts. Wear protective hair covering to contain long hair.

Use safety glasses whenever operating any tool. Makita® safety goggles and glasses are available (part no. 191686-2, 191684-A and 191685-A). Also use face or dust mask if operation is dusty.

Don't abuse cord. Never carry tool by cord or yank it to disconnect from receptacle.

Secure work. Use clamps or a vise to hold workpiece. It can be safer and it frees both hands to operate and control tool.

Maintain tools with care. Keep tools sharp and clean for best and safest performance. Follow instructions for lubrication and changing accessories.

Unplug tools. When not in use, before servicing, and when changing accessories. Remove adjusting keys and wrenches. Form a habit of checking to see that keys and adjusting wrenches are removed from tool before turning it on.

Avoid unintentional starting. Don't carry plugged-in tool with finger on switch. Be sure switch is OFF when plugging in.

Outdoor use extension cords. When tool is used outdoors, use only extension cords intended for use outdoors and so marked.

Guard against electric shock. Prevent body contact with grounded surfaces. For example: pipes, radiators, ranges and refrigerator enclosures.

Replacement parts. When servicing, use only genuine Makita® replacement parts.

Never leave tool running unattended. Turn power off. Don't leave tool until it comes to a complete stop.

MAKITA® 3-YEAR LIMITED WARRANTY, LITHIUM-ION TOOL, BATTERY, CHARGER, AND PNEUMATIC NAILER

Every Makita® Lithium-Ion Tool, Battery, Charger, and Pneumatic Nailer is warranted to be free of defects from workmanship and materials for the period of THREE YEARS from the date of original purchase. Should any trouble develop during the three-year period, return the COMPLETE Lithium-Ion Tool, Battery, Charger or Pneumatic Nailer to one of Makita's Factory or Authorized Service Centers. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair (or at our option, replace) without charge.

*See below for limitations and exclusions applicable to all Makita® warranties



MAKITA® GENERAL PRODUCT LIMITED WARRANTY

Every Makita® product is warranted to be free of defects from workmanship and materials for the period of ONE YEAR from the date of original purchase. Certain products referenced below have longer warranties. Should any trouble develop during the one-year period, return the COMPLETE Lithium-Ion Tool, Battery, Charger or Pneumatic Nailer to one of Makita's Factory or Authorized Service Centers. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair (or at our option, replace) without charge.

*See below for limitations and exclusions applicable to all Makita® warranties



MAKITA® 2-YEAR WARRANTY EMISSIONS RELATED COMPONENTS

Makita tools are warranted for 2 years for all emission related components. Consult your instruction manual for complete explanation of the 2 year emissions warranty. Components covered in this emission warranty include: 1) Fuel metering system, 2) Air induction system, 3) Ignition system and 4) items used in the above systems.



MAKITA® 30 DAY RETURN / REPLACEMENT GUARANTEE

Every Makita® product is thoroughly inspected and tested before leaving the factory. If you are not satisfied with any Makita® product within 30 days of purchase, return it and Makita® will provide, at Makita's option, a replacement or refund. This guarantee does not apply to Makita® Accessories and/or wearable items such as bits, blades or cutters.

MAKITA® WARRANTY LIMITATIONS AND EXCLUSIONS

These warranties do not apply to Makita® Accessories or where:

- Repairs have been made or attempted by others
- Repairs are required because of normal wear and tear. With regard to Pneumatic Nailers, normal wear parts include the following and are not covered under this warranty: piston/driver assemblies, piston stops, driver blades, rubber o-rings, seals, isolators, air filters, and driver belts.
- The tool has been abused, misused, improperly maintained or operated. With regard to Pneumatic Nailers, improper operation includes the failure to use clean, dry regulated compressed air and/or air pressures exceeding the maximum indicated on the nailer casting. With regard to Lithium-Ion Tools, improper operation includes the use of a non-genuine or "knock-off" battery on a Lithium-Ion Tool or Charger. With regard to Laser Instruments, abuse includes liquid damage or physical damage caused by impact.
- Alterations have been made to the tool

IN NO EVENT SHALL MAKITA® BE LIABLE FOR (A) ANY INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF THE PRODUCTS SOLD UNDER THESE WARRANTIES, OR (B) ANY AMOUNT IN EXCESS OF THE AMOUNT ACTUALLY PAID TO MAKITA® FOR THE PRODUCTS SOLD HEREUNDER. THIS LIMITATION APPLIES BOTH DURING AND AFTER THE TERMS OF THE WARRANTY. MAKITA® DISCLAIMS LIABILITY FOR ANY IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF "MERCHANTABILITY" AND "FITNESS FOR A SPECIFIC PURPOSE" AFTER THE EXPIRATION OF ANY EXPRESS WARRANTY.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you.

Makita® U.S.A., Inc., reserves the right to make changes or improvements on its products without incurring an additional obligation including any obligation to make corresponding changes or improvements to products previously manufactured or sold. Makita® reserves the right to discontinue products at any time without notice. All illustrations and photographs displayed in this catalog are the property of Makita® U.S.A., Inc., and shall not be duplicated or reproduced without the express written consent of Makita® U.S.A., Inc.

1-800-4MAKITA 1-800-462-5482
makitatools.com



For more information or questions regarding Makita® products, parts, accessories or technical assistance, call us at the National Call Center:

1-800-4MAKITA 1-800-462-5482
Hours: Monday – Friday 8 a.m. – 6 p.m. (EST)

Corporate Office and Distribution Center

14930 Northam St.
La Mirada, CA 90638-5753
(714) 522-8088

Makita Corporation of America (Manufacturing)

2650 Buford Hwy.
Buford, GA 30518
(770) 932-2901
Fax: (770) 932-2905

Southern Regional Office and Distribution Center

910 E. Pleasant Run Road
Wilmer, TX 75172-2720
(800) 462-5482
(866) 521-3541

Southeastern Regional Office and Distribution Center

4200 Falcon Parkway
Flowerly Branch, GA 30542
(800) 462-5482
Fax: (866) 521-3541

Southwestern Regional Office and Distribution Center

10200 Military Rd.
Reno, NV 89506
(800) 462-5482
(866) 449-7451

Central Regional Office and Distribution Center

1450 Feehanville Dr.
Mount Prospect, IL 60056-6011
(847) 297-3100
Fax: (866) 521-3532

"KNOCK-OFF" MAKITA® LITHIUM-ION BATTERIES MAY BURST CAUSING FIRES, PERSONAL INJURIES OR PROPERTY DAMAGE



CAUTION MAKITA U.S.A., INC. NOTIFIES TOOL USERS OF THE HAZARDS AND RISKS OF USING NON-GENUINE ("KNOCK-OFF") MAKITA® LITHIUM-ION BATTERIES.

Makita® Lithium-Ion Batteries are manufactured to strict standards, and are engineered with internal electronic circuitry to monitor the battery conditions when in use with Makita® tools and chargers. By using a non-genuine Makita® "knock-off" battery or batteries that have been altered, the sophisticated electronic communication system between the battery and charger as well as between the battery and the tool may be defeated. This will result in:

- Voiding the Makita® Warranty for the Makita® Tool and Charger
- Voiding the UL/CSA Standards approval of the tool

When using non-genuine Makita® Batteries, there is also a risk of:

- The battery bursting that may result in personal injury and/or property damage
- Possible fire damage to the tool, the battery and/or the charger
- Unknown tool performance

Makita bears no liability for accidents, personal injury or property damage (or damage to batteries, tools or chargers) that occurs as a result of the use of "knock-off" batteries, or batteries that have been repaired or altered in any way.

Don't be fooled! Genuine Makita® Batteries are black in color, have the Makita® trademark logo with lithium-ion identification on both sides, and have the Makita® trademark logo on the bottom of the battery. "Knock-off" batteries may appear to be similar to genuine Makita® Batteries but have no Makita® branding on them. Makita only approves the use of genuine parts and accessories with Makita® Tools. Makita does not approve the use of non-genuine or "knock-off" lithium-ion batteries which are marketed and sold by third parties for use in Makita® Lithium-Ion Cordless Tools.



IF THERE IS ANY QUESTION WHETHER YOUR BATTERY IS A GENUINE MAKITA® PRODUCT, OR IF YOU HAVE A PERFORMANCE ISSUE WITH YOUR MAKITA® BATTERY, TOOL, OR CHARGER, CONTACT A MAKITA FACTORY SERVICE CENTER OR AUTHORIZED SERVICE CENTER, OR CALL (800)4-MAKITA.

ONLINE PRODUCT REGISTRATION

Register all your Makita® products and keep them in one safe place; your own online Tool Box. It's where you can go to obtain your tool model numbers and serial numbers in the event your tool is stolen or needs service.

REGISTER YOUR PRODUCTS ONLINE
makitatools.com/productregistration

ONLINE PARTS & ENVIRONMENTAL RESPONSIBILITY

call2recycle®
Battery Recycling

Makita® is continuing our sustainability efforts and support for the environment by responsibly recycling rechargeable batteries through the call2recycle® program. The program is no-cost, no-hassle and available at Makita® Service Centers. call2recycle® follows the strictest standards in safety and compliance, including being the first program of its kind to receive Responsible Recycling (R2) certification and e-Steward recognition from the Basel Action Network (BAN).

Go online to makitatools.com, enter the model number in the search field, scroll down the product page to locate the corresponding parts Breakdown and Instruction Manual.



XGT GCU04

DELIVERS THE POWER OF A
42cc GAS CHAIN SAW



makitatools.com/RTO

999CAT8 0922 MA-11713-22

The MAKITA® TEAL COLOR is the trade dress of Makita® Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office.
The Makita® Black & White color combination is the trade dress of Makita® Corporation and is protected under common law with the U.S. Patent and Trademark Office.