



RENTAL PROVEN

RENTAL STRONG

makitatools.com



XGT® 80V^{max}
MOST
POWERFUL
CORDLESS
70LB. BREAKER
IN ITS CLASS

GMH04PL4X

- GMH04PL4X** ■■■ CORDLESS
- 80V max (40V max X2) XGT® Brushless**
70 lb. 1-1/8" Hex AVT® Breaker Hammer Kit,
AWS® Capable with 4 Batteries
- Most Powerful Cordless Breaker in its Class
 - Delivers up to 70% faster breaking than corded
 - Demolishes up to an 8ft. x 6ft. x 4in. thick 5000 psi concrete slab on a single charge
 - AVT® and vibration-absorbing handles work together to reduce up to 30% less overall vibration



Also available as **GMH04PLX**

ALSO AVAILABLE



DUST EXTRACTION

- GCV07PMU** ■■■ CORDLESS
- 80V max (40V max X2) XGT® Brushless**
10 Gallon HEPA Filter Wet/Dry
Dust Extractor/Vacuum Kit, AWS®
- Efficient three stage HEPA filtration system captures 99.97% of particulates .3 microns and larger
 - Automatic self-cleaning filtration system maintaining optimal suction and longer filter life
 - Over 2X more suction power with 173 CFM and 72.3" water lift compared to Makita model XCV25





XGT® 80V max
POWER OF A
75.6cc
GAS SAW
*Compared to EK7651H

GEC01PL4



**NO GAS
NO MIXING**



**LESS
NOISE**



**REDUCED
MAINTENANCE**

GEC01PL4 ■■■ CORDLESS

**80V max (40V max X2) XGT® Brushless
14" Power Cutter Kit, w/ 4 Batteries,
AFT®, Electric Brake**

- Delivers the power of a 75.6cc Gas Saw
- 14" wheel allows for single pass cuts up to 5" deep in various masonry and metal materials
- No Gas, No Fumes, No Pull-Starts, Zero Limitations
- Integrated Anti-Vibration mechanism provides up to 50% less vibration when cutting



GEC03T ■■■ CORDLESS

**40V max XGT® Brushless
9" Power Cutter Kit, with AFT®, Electric Brake**

- Delivers up to 45% More Power than Makita model XEC01
- Up to 55% Less Vibration
- Large 3-1/2" Cutting Depth, The Most within its class
- AFT® turns the motor off if rotation of the wheel is suddenly forced to stop



ALSO AVAILABLE



E-16748

14" Thin Kerf Diamond Blade,
Segmented, General Purpose



E-23298

9" Thin Kerf Diamond Blade,
Segmented, General Purpose



988-394-610

2.6 Gallon Pressurized
Water Tank



GRV02L1

GRV02L1 ■■■■ CORDLESS
40V max XGT® Brushless
8' Concrete Vibrator Kit

- Makita-built brushless motor delivers up to 15,500 VPM to help increase strength of concrete
- Up to 45 minutes of run time in power mode and 60 minutes of run time in normal mode
- Dual directional switch to conveniently hold the tool in either horizontal or vertical positions
- Protective cover on switch and battery prevents contamination



GRV01M1 ■■■■ CORDLESS
40V max XGT® Brushless
5-1/2' Concrete Vibrator Kit

- Makita-built brushless motor delivers up to 15,500 VPM to help increase strength of concrete
- Up to 45 minutes of run time in power mode and 60 minutes of run time in normal mode
- Dual directional switch to conveniently hold the tool in either horizontal or vertical positions
- Protective cover on switch and battery prevents contamination



ALSO AVAILABLE



1910E1-5
4' Flexible Shaft Assembly, 1-1/4"
Head Diameter, GRV01, GRV02



1910E3-1
4' Flexible Shaft Assembly, 1-1/2"
Head Diameter, GRV01, GRV02



1910C2-9
8' Flexible Shaft Assembly, 1-1/4"
Head Diameter, GRV01, GRV02

GMH02PM CORDLESS

80V max (40V max X2) XGT® Brushless 28 lb. SDS-MAX AVT® Demolition Hammer Kit, AWS® Capable

- Makita-built brushless motor along with two 40V max XGT® batteries combine to deliver up to 15% faster breaking efficiency than corded
- Delivers more impact energy than corded
- AVT® is a counterbalance system along with vibration-absorbing handles that work to reduce vibration



GMH02Z Tool Only

GMH01M1 CORDLESS

40V max XGT® Brushless 15 lb. SDS-MAX AVT® Demolition Hammer Kit, AWS® Capable

- Makita brushless motor delivers up to 20% faster breaking efficiency than corded equivalent model*
- Constant speed control automatically applies additional power under load
- AVT® is an internal counterbalance along with vibration-absorbing handles that reduce vibration



GMH01Z Tool Only

GRH06PM CORDLESS

80V max (40V max X2) XGT® Brushless 2" SDS-MAX AVT® Rotary Hammer Kit, AWS® Capable

- Makita-built brushless motor along with two 40V max XGT® batteries combine to deliver up to 27% faster drilling than corded equivalent model*
- AFT® electronically turns off the motor if rotation of bit is suddenly forced to stop
- AVT® is a counterbalance system along with vibration-absorbing handles that work to reduce vibration



GRH06Z Tool Only

GRH05M1 CORDLESS

40V max XGT® Brushless 1-9/16" SDS-MAX AVT® Rotary Hammer Kit, AFT®, AWS® Capable

- Makita-built brushless motor delivers the power performance required for heavy-load application
- Constant speed control maintains drilling performance
- AVT® is a counterbalance system along with vibration-absorbing handles that work to reduce vibration



GRH05Z Tool Only

GRH08M1W CORDLESS

40V max XGT® Brushless 1-3/16" SDS-PLUS AVT® Rotary Hammer Kit with Dust Extractor, AFT, AWS Capable

- Makita-built brushless motor delivers the power and performance required for heavy-load applications
- Constant speed control automatically applies additional power under load for optimum performance
- AVT® is a counterbalance system along with vibration-absorbing handles that work to reduce vibration



GRH08Z Tool Only

ALSO AVAILABLE



196537-4
Dust Extraction Attachment Kit,
SDS-MAX, Drilling and Demolition



194683-7
Hammer Bit Grease

HITS LIKE AIR WITHOUT THE VIBRATION



HM1812X3 70LB.

70 lb. Advanced AVT® Breaker Hammer

- Efficient 15 AMP motor with improved hammer mechanism delivers 53.9 ft.lbs./72.8 joules of impact energy
- Advanced AVT® is a mechanical counterbalance, vibration absorbing housing and rubberized fixed handles designed to more effectively reduce vibration

Accepts 1-1/8" Hex bits & comes with 4 bits & hammer cart



HM1810X3 70LB.

70 lb. AVT® Breaker Hammer

- Efficient 15 AMP motor with improved hammer mechanism delivers 46.5 ft.lbs. of impact energy
- Anti-Vibration Technology is an internal counterbalance system that greatly reduces vibration

Accepts 1-1/8" Hex bits & comes with 4 bits & hammer cart



HM1512 45LB.

45 lb. AVT® Demolition Hammer

- Powerful 15 AMP motor delivers 35.7 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology (AVT®) is an internal counterbalance system along with vibration-absorbing handles that work together to reduce vibration

Accepts 1-1/8" Hex bits



HM1502 43LB.

43 lb. Demolition Hammer

- Powerful 15 AMP motor delivers 36.2 ft.lbs. of impact energy to handle the most demanding applications
- In-line body design is better adapted for working in narrow spaces and provides improved balance for increased maneuverability

Accepts 1-1/8" Hex bits



HM1317CB 42LB.

42 lb. AVT® Demolition Hammer

- Powerful 14 AMP motor delivers 25.7 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology (AVT®) is an internal counterbalance system that greatly reduces vibration

Accepts 1-1/8" Hex bits



HM1307CB 35LB.

35 lb. Demolition Hammer

- Powerful 14 AMP motor delivers 25.7 ft.lbs. of impact energy to handle the most demanding applications
- Constant Speed Control automatically applies additional power to the motor to maintain consistent speed under load for the most challenging jobs

Accepts 1-1/8" Hex bits



HM1214C 27LB.


27 lb. AVT® Demolition Hammer

- Powerful 14 AMP motor delivers 19 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology is an internal counterbalance system that greatly reduces vibration

SDS-MAX



Vibration absorbing housing moves independently of the motor and hammer mechanism effectively isolating more vibration away from the user



Mechanical counterbalance system greatly reduces vibration and directs more impact energy to the work surface

HM1213C 23LB.

23 lb. AVT® Demolition Hammer

- Powerful 14 AMP motor delivers 18.8 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology (AVT®) is an internal counterbalance system that greatly reduces vibration

AVT®



SDS-MAX

HM1203C 20LB.

20 lb. Demolition Hammer

- Powerful 14 AMP motor delivers 18.8 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs



SDS-MAX

HM1111C 17LB.

17 lb. AVT® Demolition Hammer

- Powerful 14 AMP motor delivers 12.7 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology is an internal counterbalance system that greatly reduces vibration for increased user comfort and greater productivity

AVT®



SDS-MAX

HM0871C 12LB.

12 lb. AVT® Demolition Hammer

- Powerful 10 AMP motor delivers 8.6 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology (AVT®) is an internal counterbalance system that greatly reduces vibration

AVT®



SDS-MAX

HM0870C 11LB.

11 lb. Demolition Hammer

- Powerful 10 AMP motor delivers 8.4 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs



SDS-MAX

4114X

14" SJS™ Electric Angle Cutter, with 14" Diamond Blade

- SJS™ technology is a mechanical clutch system that helps prevent motor and gear damage by allowing the drive shaft to slip if the wheel is forced to stop
- Powerful 15.0 AMP motor delivers 3,800 RPM for the most demanding applications



PC5010CX1

5" SJS™II Compact Concrete Planer with Dust Extraction Shroud and Diamond Cup Wheel

- Integrated dust extraction shroud is designed to capture dust during concrete surfacing applications
- Powerful 12.0 AMP motor delivers more output and (4,000 - 9,000) RPM



*Compared to equivalent corded model HM0871C

CONCRETE – ROTARY HAMMERS / REBAR TOOLS

HR5212C

2" Advanced AVT® Rotary Hammer

- Powerful 15 AMP motor delivers 14 ft.lbs. / 19 J. of impact energy
- Advanced AVT® is an air actuated counterbalance, vibration absorbing housing and impact bolt damper spring that more effectively reduces vibration

SDS-MAX 



AVT
Advanced Vibration Technology

HR4510C

1-3/4" AVT® Rotary Hammer

- Powerful 13.5 AMP motor delivers 9.2 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

SDS-MAX 



AVT
Advanced Vibration Technology

HR4013C

1-9/16" Advanced AVT® Rotary Hammer

- Powerful 11 AMP motor delivers 8.4 ft.lbs. / 11.4 J. of impact energy to handle the most demanding applications
- Advanced AVT® is an air actuated counterbalance, vibration absorbing housing and impact bolt damper spring that more effectively reduces vibration

SDS-MAX 



AVT
Advanced Vibration Technology

HR4002

1-9/16" Rotary Hammer

- Powerful 10 AMP motor delivers 4.6 ft.lbs. of impact energy
- 2-mode operation for "Hammering Only" or "Hammering with Rotation"

SDS-MAX 



HR4041C

1-9/16" Rotary Hammer

- Powerful 11 AMP motor delivers 6.8 ft.lbs. of impact energy
- Constant speed control automatically applies additional power to the motor to maintain speed under load

Accepts SPLINE bits 



HR3001CK

1-3/16" Rotary Hammer, accepts SDS-PLUS bits (L-Shape)

- Powerful 7.5 AMP motor delivers 2.9 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

SDS-PLUS 



HR3011FCK

1-3/16" AVT® Rotary Hammer, accepts SDS-PLUS bits (L-Shape)

- Powerful 7.5 AMP motor delivers 2.9 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

SDS-PLUS 



AVT
Advanced Vibration Technology

HR2661

1" AVT® Rotary Hammer w/ HEPA Dust Extractor

- Powerful 8 AMP motor delivers 2.1 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology (AVT®) is an internal counterbalance system that actively works to reduce vibration to the operator

SDS-PLUS 



AVT
Advanced Vibration Technology

XRT01TK CORDLESS

18V LXT® Brushless Rebar Tying Tool Kit

- Up to 5,300 ties of #3 x #3 diameter rebar using an 18V LXT® 5.0Ah Battery
- Multiple bar tying capability; ties up to two #5 diameter bars or four #4 diameter bars in under 1 second



LXT® 18V

XRT01ZK Tool Only

XRT02TK CORDLESS

18V LXT® Brushless Deep Capacity Rebar Tying Tool Kit

- Maximum tying capacity of #8 x #7 rebar; minimum tying capacity of #4 x #4 rebar
- Up to 5,000 ties of #4 x #4 diameter rebar using an 18V LXT® 5.0Ah Battery



LXT® 18V

XRT02ZK Tool Only

ALSO AVAILABLE

191L22-4

USA Made Steel Tie Wire, 21 Ga, 50/pk

- 21 gauge diameter black annealed steel wire for maximum strength
- Up to 120 ties per wire reel allowing for maximum productivity



191J59-9

Poly-Coated Tie Wire, 21 Gauge, 50/pk

- 21 gauge diameter wire for maximum strength
- Poly coated wire for tying epoxy coated rebar



191A57-9

Electro Galvanized Tie Wire

- 21 gauge diameter wire for maximum strength
- Up to 120 ties per wire reel allowing for maximum productivity



162755-6

Wire Guide Nylon Brush

- Designed to clean residue from the wire guide
- Made of nylon bristles



XCS04T1 CORDLESS

18V LXT® Brushless Rebar Cutter Kit

- Performs up to 233 cuts of #5 rebar with one 18V LXT® 5.0Ah Battery
- Cutting capacity range of 1/8" - 5/8"



LXT® 18V

XCS04Z Tool Only

XCS01T1 CORDLESS

18V LXT® Rebar Cutter Kit

- Up to 125 cuts of #6 (3/4") rebar on a single charge using 5.0Ah LXT® Battery
- Cutting capacity range of 1/8" - 3/4"; cuts up to 60 grade #6 rebar



LXT® 18V




XCS01Z Tool Only

CONCRETE – DEMOLITION STEEL / ROTARY CARBIDE



Bull Point




Demolition applications and starts holes in concrete

| | | | | | |
|-----------------------------------|---|------------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| Self-Sharpening 20-1/2" 16" | D-21353* D-21353-5 B-45559 | 12" 18" | 751423-A 751424-A | 10" | D-51144 |



Flat Chisel




General purpose chipping, edging and channeling

| | | | | | |
|----------|---|----------------------|---|------------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 20-1/2" | D-21369* D-21369-5 | 1" x 12" 1" x 18" | 751228-A 751231-A | 3/4" x 10" | D-51150 |



Scaling Chisel

Wide chisel with two cutting angles for chipping dried concrete

| | | | | | |
|----------|---|----------------------|---|------------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 20-1/2" | D-21347* D-21347-5 | 1" x 12" 1" x 18" | 751229-A 751230-A | 3/4" x 10" | D-51166 |



Floor Scraper




Cleanly Removes Tile, Linoleum and Flooring Adhesive

| | | | | | |
|----------|---|----------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| — | — | 6" Wide | T-02593 | 4" Wide | A-30106 |



One Piece Bushing Tool




Removes excess concrete and roughens surface

| | | | | | |
|------------------|---|--------------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 1-3/4" x 14-3/4" | 751717-A | 1-3/4" x 10" | 751715-A | — | — |



Asphalt Cutter




Cuts asphalt or hard ground (not for use in concrete)

| | | | | | |
|--------------|---|----------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 5" x 17-1/2" | 751620-A | 5" x 15" | 751624-A | — | — |



Clay Spade




Digs clay, shale, hard packed gravel and dirt

| | | | | | |
|--------------|---|--------------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 5-1/2" x 20" | 751622-A | 4-1/2" x 17" | 751626-A | — | — |



Ground Rod Driver

Drives ground rods into the ground

| | | | | | |
|---------------------------|---|-----------------------------|---|----------|---|
| 1-1/8" |  | SDS-MAX |  | SDS-PLUS |  |
| Diameter | Part # | Diameter | Part # | Diameter | Part # |
| 1" I.D. x 2-1/4" x 16" | 751102-A | 3/4" I.D. x 2-3/4" x 10" | 751108-A | — | — |



SDS-MAX Rotary Hammer 6-Cutter Carbide Bits

- 6 Cutting Edges engineered for drilling in reinforced concrete
- Longer life, less vibration, and faster than competitive 4-cutter carbide bits
- Plows through rebar

| Diameter/ Length | Part # | Diameter/ Length | Part # | Diameter/ Length | Part # |
|---------------------|---------|---------------------|---------|---------------------|---------|
| 5/8" x 13" | B-61341 | 7/8" x 13" | B-61422 | 1-1/8" x 36" | B-61503 |
| 5/8" x 21" | B-61357 | 7/8" x 21" | B-61438 | 1-1/4" x 13" | B-61519 |
| 5/8" x 36" | B-61363 | 7/8" x 36" | B-61444 | 1-1/4" x 21" | B-61525 |
| 11/16" x 21" | B-61379 | 1" x 13" | B-61450 | 1-1/4" x 36" | B-61531 |
| 3/4" x 13" | B-61385 | 1" x 21" | B-61466 | 1-3/8" x 21" | B-61547 |
| 3/4" x 21" | B-61391 | 1" x 36" | B-61472 | 1-3/8" x 36" | B-61553 |
| 3/4" x 36" | B-61400 | 1-1/8" x 13" | B-61488 | 1-1/2" x 21" | B-61569 |
| 13/16" x 21" | B-61416 | 1-1/8" x 21" | B-61494 | 1-1/2" x 36" | B-61575 |



SDS-PLUS Rotary Hammer 3-Cutter Carbide Bits

- (3) 135 Cutting Edges offer the most efficient drilling without cracking the concrete around it
- Self-centering tungsten carbide tip features a more aggressive design for faster and more reliable hole starting
- Plows through rebar

| Diameter/ Length | Part # | Diameter/ Length | Part # | Diameter/ Length | Part # |
|---------------------|---------|---------------------|---------|---------------------|---------|
| 3/16" x 4" | B-60975 | 1/4" x 12" | B-61042 | 1/2" x 12" | B-61117 |
| 3/16" x 6" | B-60981 | 5/6" x 6" | B-61058 | 1/2" x 18" | B-61123 |
| 3/16" x 8" | B-60997 | 5/6" x 12" | B-61064 | 5/8" x 10" | B-61139 |
| 3/16" x 12" | B-61008 | 3/8" x 6" | B-61070 | 5/8" x 18" | B-61145 |
| 1/4" x 4" | B-61014 | 3/8" x 12" | B-61086 | 3/4" x 10" | B-61151 |
| 1/4" x 6" | B-61020 | 3/8" x 18" | B-61092 | 3/4" x 18" | B-61167 |
| 1/4" x 8" | B-61036 | 1/2" x 6" | B-61101 | — | — |



SDS-MAX Core Bits



| Diameter/Length | Usable Length | Overall Length | Part # |
|--|------------------|-------------------|---------|
| 9" SDS-MAX Rotary Hammer Core Bit Shank Adapter | 3" | 4" | B-66612 |
| 16-1/2" SDS-MAX Rotary Hammer Core Bit Shank Adapter | 3" | 4" | B-66628 |
| 1-3/4" Rotary Hammer Core Bit | 3" | 4" | B-66634 |
| 2" Rotary Hammer Core Bit | 3" | 4" | B-66640 |
| 2-5/8" Rotary Hammer Core Bit | 3" | 4" | B-66656 |
| 3-1/8" Rotary Hammer Core Bit | 3" | 4" | B-66662 |
| 4" Rotary Hammer Core Bit | 3" | 4" | B-66678 |
| 5" Rotary Hammer Core Bit | 3" | 4" | B-66684 |
| 6" Rotary Hammer Core Bit | 3" | 4" | B-66690 |
| 7/16" x 4-1/2" Rotary Hammer Core Bit Centering Bit | 3-1/2" | 4-1/2" | B-66709 |
| Rotary Hammer Core Bit Drift Pin | — | — | B-66715 |

*For use with Makita and other brand 1-1/8" hex hammers

CONCRETE / CLEANING SOLUTIONS

Diamond Blades



| Diameter | Description | Rim | Arbor | Blade Type | Part # |
|----------|----------------------------------|-------------------------|------------|-----------------------------|----------------|
| 9" | Diamond Blade | Segmented | 7/8", 5/8" | General Purpose | E-02515 |
| 9" | Thin Kerf Diamond Blade | Turbo U-Notch Segmented | 7/8", 5/8" | General Purpose | E-23298 |
| 9" | Ultra-Premium Plus Diamond Blade | Segmented | 7/8" | General Purpose | E-02973 |
| 14" | Diamond Blade | Segmented | 1", 20mm | General Purpose, Contractor | B-69646 (3/pk) |
| 14" | Thin Kerf Diamond Blade | Segmented | 1", 20mm | General Purpose | E-16748 |
| 14" | All-Cut Diamond Blade | Segmented | 1", 20mm | General Purpose | E-23341 |

Cut-Off Wheel



| Diameter | Description | Arbor | Thickness | Part # |
|----------|-------------------------|-------|-----------|------------------|
| 9" | INOX Thin Cut-Off Wheel | 7/8" | .079" | E-03012 |
| 14" | Abrasive Cut-Off Wheel | 7/8" | 5/32" | E-12809-5 (5/pk) |

POWERFUL WET/DRY CLEANING SOLUTION

Powerful 12 AMP motor generates 148 CFM of suction power and 92" of water lift

Motor chamber constructed of quality sound-absorbing materials resulting in a quiet operating sound level of 60 dB(A)



Secure interlocking case on top of the unit



On-board tool-activated power outlet

GSV01PL CORDLESS

40V max XGT® 25-1/2" Vacuum Sweeper Kit

- Faster Efficient Cleaning, Up to 11X faster than a broom
- Large 25-1/2" brush width capacity for cleaning small and large dry debris materials with 6.3 gallon collection capacity



XGT 40V max

GCV07PMU CORDLESS

80V max (40V max X2) XGT® Brushless 10 Gallon HEPA Filter Wet/Dry Dust Extractor/Vacuum Kit, AWS®

- Wet and dry pickup for versatility of applications
- Over 2X more suction power with 173 CFM and 72.3" water lift*



XGT 80V max

AWS
AWESOME SUCTION SYSTEM

GCV07Z Tool Only

GCV04PMUX CORDLESS

40V max XGT® Brushless 4 Gallon HEPA Filter Dry Dust Extractor Kit, AWS®

- Over 2X more suction power with 148 CFM and 92" water lift
- 2X more run time with 2 bay battery system



XGT 40V max

AWS
AWESOME SUCTION SYSTEM

GCV03Z Tool Only

GCV08PM CORDLESS

40V max XGT® Brushless 6 Quart HEPA Filter Dry Backpack Vacuum Kit

- 6 quart capacity portable design for navigating obstacles, overhead cleaning and limited space
- Over 2X more suction power with 85 CFM and 80" water lift



XGT 40V max

HEPA
filter

GCV08Z Tool Only

GCV05T1X CORDLESS

40V max XGT® Brushless 2 Quart HEPA Filter Backpack Dry Vacuum Kit

- Compact 2 quart size for ultimate portability navigating obstacles, overhead cleaning and limited space
- Up to 2X more suction power with 85 CFM and 72" water lift



XGT 40V max

AWS
AWESOME SUCTION SYSTEM

HEPA
filter

GCV05Z Tool Only

GCV09L1 CORDLESS

40V max XGT® Brushless 1.3 Gallon HEPA Filter 15" Upright Vacuum Kit

- CRI Gold Seal of Approval certified by the Carpet and Rug Institute for commercial use
- Up to 18% more suction power with 64 CFM and 60" of water lift



XGT 40V max

HEPA
filter

GCV09Z Tool Only

VC4210L

11 Gallon Wet/Dry HEPA Filter Dust Extractor/Vacuum, AWS® Capable

- Powerful 12 AMP Motor Generates 148 CFM of Suction Power and 92" of Water Lift
- Automatic Filter Cleaning System for longer filter life



AWS
CAPABLE

HEPA
filter

ALSO AVAILABLE




1910Y4-9

Fleece Filter Bag, 5/pk, GCV07



W107418353-1

Fleece Filter Bag, 1/pk, VC4210



GAG10M1

GPP01ZK CORDLESS

40V max XGT® 3/8" Brushless Metal Hole Puncher

- Up to 25% faster punching speed
- Grip handle rotates 360° allowing for optimal positioning in a variety of spaces



XGT 40V max

GTW01M1 CORDLESS

40V max XGT® Brushless Shear Wrench Kit

- Up to 14% faster fastening than Makita corded, at 593 ft.lbs. of maximum fastening torque
- Tightens up to 250 M22 torque control bolts per charge using one XGT® 4.0Ah Battery



XGT 40V max



GSC01M1 CORDLESS

40V max XGT® Brushless 7-1/4" Metal Cutting Saw Kit, with Chip Collector

- Makita-built brushless motor delivers up to 2X faster cutting performance compared to Makita model 4131
- Large 2-5/8" cutting capacity
- Active Feedback-Sensing Technology (AFT®) electronically turns off the motor if rotation of bit is suddenly forced to stop



XGT 40V max



4131

7-1/4" Metal Cutting Saw

- Powerful 13 AMP motor cuts through various types of metal
- Heavy duty blade cover provides increased chip protection



◀ **GAG10M1** CORDLESS

40V max XGT® Brushless 7" / 9" Paddle Switch Angle Grinder Kit, with Electric Brake, AWS® Capable

- 13 AMP Corded Power
- Delivers up to 60% faster cutting speed



GAG03M1 CORDLESS

40V max XGT® Brushless 4-1/2" / 5" Paddle Switch Angle Grinder Kit, with Electric Brake

- 13 AMP Corded Power
- Delivers up to 60% faster cutting speed



GA9031Y **9" Angle Grinder**

- 15 AMP motor delivers 6,600 RPM
- Push button rotatable rear handle turns w90° to either left or right
- Three position vibration absorbing side handle
- Wire mesh intake covers are engineered to prevent debris from entering motor



**HIGH POWER
15 AMP**

GA7011C **7" Angle Grinder**

- Powerful 15.0 AMP motor delivers 6,000 RPM
- Compact design with less weight (7.5 lbs.)
- Labyrinth construction, zig-zag varnish and thicker coil wires for longer tool life
- Electronic speed control maintains constant speed under load



**HIGH POWER
15 AMP**

GRJ02M1

40V max XGT® Brushless AVT® Orbital Recipro Saw Kit

- Delivers the power of a 15 AMP corded Reciprocating Saw
- Makita-built brushless motor delivers up to 40% faster cutting speed



JR3070CT **AVT® Recipro Saw - 15 AMP**

- Powerful 15 AMP motor with electronic speed control maintains constant speed under load
- 2X less vibration with innovative AVT® counterbalance and clutch system



**HIGH POWER
15 AMP**

LW1401 **14" Cut-Off Saw**

- Powerful 15 AMP motor delivers 3,800 RPM for superior performance
- Adjustable spark guard designed to divert sparks



**HIGH POWER
15 AMP**

WOODWORKING / SANDERS & MIXERS

5402NA

16-5/16" Circular Saw

- Powerful 15 AMP motor delivers enough power to cut through pressure treated lumber
- Cuts 6x material at 90° and 4x material at 45° in a single pass



Saw Storage Holder

Part #

194701-1



GSR02M1

40V max XGT® Brushless Rear Handle 10-1/4" Circular Saw Kit, AWS® Capable

- Makita-built brushless motor delivers 4,000 RPM for faster cutting than corded
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications



XGT 40V max

AWS CAPABLE



GSR01M1

40V max XGT® Brushless Rear Handle 7-1/4" Circular Saw Kit

- Makita-built brushless motor delivers up to 6,400 RPM for faster cutting performance
- Automatic Torque drive adjusts cutting speed under load for optimum cutting performance



XGT 40V max



GSH02M1

40V max XGT® Brushless 7-1/4" Circular Saw Kit with Guide Rail Compatible Base, AWS® Capable

- Makita-built brushless motor delivers 6,000 RPM for faster cutting performance
- Automatic torque drive adjusts cutting speed under load for optimum cutting performance



XGT 40V max

AWS CAPABLE



GBP01M1

40V max XGT® Brushless Deep Cut Portable Band Saw Kit

- 5" x 5" cutting capacity; ideal for cutting multiple types of materials
- Up to 2X faster cutting compared to XBP02



XGT 40V max



2107FZK

Portable Band Saw, with Tool Case

- Powerful 6.5 AMP motor with large (4-3/4" x 4-3/4") cutting capacity for demanding applications
- Variable speed control dial (200-350 ft./min.) enables user to match the speed to the application



GPR01Z

40V max XGT® Brushless 2-1/4 HP* Plunge Router

- Delivers the power of a 2-1/4 HP* Corded Router
- Up to 30% less weight compared to corded model RP2301FC



XGT 40V max

AWS CAPABLE



RP2301FC

3-1/4 HP* Plunge Router

- Powerful 15 AMP motor delivers 9,000 - 22,000 RPM for smooth routing
- Electronic speed control maintains constant speed under load





XLS01T

XLS01T CORDLESS

18V LXT® Brushless Drywall Sander Kit, AWS® Capable

- Delivers up to 35 minutes of run-time, using 120 grit abrasive discs with one 18V LXT® 5.0Ah Battery
- Direct drive brushless motor positioned at the sanding head for increased sanding efficiency and reduced maintenance



ALSO AVAILABLE

199937-7

Extension Handle Support Set, XLS01

- Allows for an additional 22-3/4" longer reach from the normal extended length



B-68535

9" Drywall Sanding Disc, Hook & Loop, 40 Grit, 25/pk



B-68541

9" Drywall Sanding Disc, Hook & Loop, 80 Grit, 25/pk



B-68557

9" Drywall Sanding Disc, Hook & Loop, 120 Grit, 25/pk



E-02917

9" Drywall Sanding Disc, Hook & Loop, 150 Grit, 25/pk



B-68563

9" Drywall Sanding Disc, Hook & Loop, 180 Grit, 25/pk



B-68579

9" Drywall Sanding Disc, Hook & Loop, 320 Grit, 25/pk



E-02696

9" Drywall Sanding Disc, Hook & Loop, 220 Grit, 25/pk



9403

4" x 24" Belt Sander

- Powerful 11 AMP Motor for High Production Use
- Low noise (84dB) for operator comfort



9903

3" x 21" Belt Sander

- Powerful 8.8 AMP motor; only 85dB
- Variable speed control dial (690 -1,440 ft./min.) to match the speed to the application



GTU01M1 CORDLESS

40V max XGT® Brushless 1/2" Mixer Kit

- Ergonomic Double Handle design for user comfort and control
- Mechanical 2 Gear Speeds for a variety of material mixing



BENCHTOP / CORDLESS NAILERS

GSLO4M1 CORDLESS

40V max XGT® Brushless 12" Dual-Bevel Sliding Compound Miter Saw Kit, AWS® Capable

- Makita-built brushless motor delivers 3,600 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications



GSLO3M1 CORDLESS

40V max XGT® Brushless 10" Dual-Bevel Sliding Compound Miter Saw Kit, AWS® Capable

- Makita-built brushless motor delivers 3,600 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications



GSLO2M1 CORDLESS

40V max XGT® Brushless 8-1/2" Dual-Bevel Sliding Compound Miter Saw Kit, AWS® Capable

- Makita-built brushless motor delivers 4,800 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications



LS1219L

12" Dual-Bevel Sliding Compound Miter Saw


- Unique 2-Steel Rail Sliding System design allows operation flush against a wall
- Increased capacity for up to 8" crown molding (vertically nested), 6-3/4" baseboard (vertical), and 15" crosscuts at 90°



LS1019L

10" Dual-Bevel Sliding Compound Miter Saw

- Unique 2-Steel Rail Sliding System design allows operation flush against a wall
- Increased capacity for up to 6-5/8" crown molding (vertically nested), 5-1/4" baseboard (vertical), and 12" crosscuts at 90°



LS0815F

8-1/2" Slide Compound Miter Saw

- Powerful 10.5 AMP direct drive motor requires less maintenance and delivers 5,000 RPM
- Cuts up to 12" at 90° and 8-1/2" at 45°





GTP01

GTP01D1 NEW ■■■■ CORDLESS

40V max XGT® Brushless Pin Nailer Kit, 23 Ga. (2.5Ah)

- Makita-built brushless motor delivers up to 15% faster firing compared to XTP02
- Refined firing mechanism reduces recoil; reduces force required on the work surface when driving pin nails



XNB02RJ ■■■■ CORDLESS

18V LXT® 2-1/2" Straight Finish Nailer Kit, 16 Ga.

- Powerful motor design drives standard 16 gauge, straight finish nails from 1" to 2-1/2" in length
- Compact center height enables viewing around the nose tip when fastening in tight spots



XNB01Z ■■■■ CORDLESS

18V LXT® 2" Brad Nailer, 18 Gauge

- Drives up to 1,660 finish nails using a 5.0Ah 18V LXT® Battery (battery not included)²
- Drives a range of 18 gauge brad nails from 5/8" to 2"; magazine capacity up to 100 nails



XTP02Z ■■■■ CORDLESS

18V LXT® 1-3/8" Pin Nailer, 23 Gauge

- Drives 6 different lengths, 5/8", 11/16", 3/4", 1", 1-3/16" and 1-3/8", of 23 gauge pin nails (tool does not work with 1-1/4" pin nails)
- Magazine capacity up to 120 pin nails



XTS01T ■■■■ CORDLESS

18V LXT® 3/8" Crown Stapler Kit

- Fastens a wide range of 3/8" crown staples from 3/8" to 7/8" in length; also utilizes Arrow® T50 type flat crown staples
- A convenient window on magazine shows the number of remaining staples



COMPRESSORS / PNEUMATIC NAILERS

AC001GM1

40V max XGT® Brushless 2 Gallon Quiet Series Compressor Kit

- Drives up to 700 brad nails using a fully charged 40V XGT® 4.0Ah battery
- Quiet Series designed with low noise emission at only 68 dB; ideal for indoor use



XGT® 40V max
QUIET SERIES

MAC210Q

Quiet Series 1 HP, 2 Gallon, Oil-Free, Electric Air Compressor

- Quiet Series design at only 60 dB for operator and crew comfort; ideal for indoor use
- Runs at a lower RPM (1,750) resulting in longer motor and pump life



QUIET SERIES

MAC320Q

Quiet Series 1-1/2 HP, 3 Gallon, Oil-Free, Electric Air Compressor

- Quiet Series design at only 60 dB for operator and crew comfort; ideal for indoor use
- Runs at a lower RPM (1,750) resulting in longer motor and pump life



QUIET SERIES

MAC2400

2.5 HP* Big Bore™ Air Compressor

- Cast iron pump with Big Bore™ cylinder and piston is engineered to provide faster recovery time for improved performance
- Powerful 2.5 HP 4-Pole motor produces 4.2 CFM at 90 PSI for increased productivity and lower noise



BIG BORE™
SERIES

MAC700

2.0 HP* Big Bore™ Air Compressor

- Cast iron pump with Big Bore™ cylinder and piston is engineered to provide faster recovery time for improved performance
- Powerful 2.0 HP 4-Pole motor produces 3.3 CFM at 90 PSI for increased productivity and lower noise



BIG BORE™
SERIES

MAC5200

3.0 HP* Big Bore™ Air Compressor

- Cast iron pump with Big Bore™ cylinder and piston is engineered to provide faster recovery time for improved performance
- Powerful 3.0 HP* motor produces 6.5 CFM at 90 PSI for increased productivity



BIG BORE™
SERIES

*Maximum horsepower



AN924

AN924 PNEUMATIC

21° Full Round Head 3-1/2" Framing Nailer

- Faster nail driving speed for maximum performance
- Lightweight design at only 8.3 lbs.



AN902 PNEUMATIC

3-1/2" Framing Coil Nailer

- "Tool-less" depth adjustment engineered for more precise flush and countersink nailing
- Drives 1-3/4" to 3-1/2" coil framing nails



AF506 PNEUMATIC

2" Brad Nailer, 18 Gauge

- Powerful motor drives a range of 18 gauge brad nails from 5/8" to 2" into hard or soft wood applications
- Aluminum body, magazine and cylinder for strength and durability; weighs only 2.9 lbs.



AF601 PNEUMATIC

2-1/2" Straight Finish Nailer, 16 Gauge

- "Tool-less" depth adjustment for more precise nailing
- Efficient motor design offers leading power performance



AN613 PNEUMATIC

2-1/2" Siding Coil Nailer

- "Tool-less" depth adjustment engineered for more precise flush and countersink nailing
- 2-mode selector switch; single sequential mode and contact actuation mode



AN454 PNEUMATIC

1-3/4" Coil Roofing Nailer

- Faster nail driving speed for maximum performance
- Aluminum housing for longer tool life





HIGHER CAPACITY. NO GAS.

PROVIDES THE RUN TIME NEEDED FOR ALL DAY WORK

ConnectX™ is a run-time and power solution for use with ConnectX™ products, as well as XGT® and LXT® tools and equipment when used with an adaptor. It accelerates the transition to battery power with a Backpack Power Supply, which packs a high-capacity battery for all-day work and performance without the hassles of gas or cords.



**HIGHER
CAPACITY**



**LONGER
RUN TIME**



**ULTIMATE
COMPATIBILITY**



**DURABLE
DESIGN**

PDC1200A01

40V max ConnectX™ 1,200Wh Portable Backpack Power Supply

- Delivers 1,200 Watt Hours of Output
- Ideal for all day work; expected run times with PDC1200A01 may vary by product, application, and workday amount



CONNECTX™

PDC1500

40V max ConnectX™ 1,500Wh Portable Backpack Power Supply

- Delivers 1,500 watt hours of output
- Ideal for all day work; expected run times may vary by product, application, and workday amount



CONNECTX™

CBU04Z

40V max ConnectX™ Brushless Backpack Blower

- Makita-built brushless motor delivers power of a 64cc gas backpack blower
- Delivers up to 2 hours of runtime with PDC1500 (power supply sold separately)



CONNECTX™

CBU02Z

40V max ConnectX™ Brushless Backpack Blower

- ConnectX™ Blower works with PDC1200A01 Makita Portable Backpack Power Supply unit for longer run time (power supply sold separately)



CONNECTX™

BAC01

40V max ConnectX™ Portable Power Station

- Turns DC power into AC power - suitable for a wide range of applications
- Powered by Makita PDC1200 or PDC01
- Transportable power with 2800W peak / 1400W continuous output



CONNECTX™



CBU01Z

40V max ConnectX™ Brushless Blower

- ConnectX™ Blower works with any Makita Portable Backpack Power Supply units for longer run time (power supply sold separately)



CONNECTX™

CML01Z

40V max ConnectX™ Brushless 21" Self-Propelled Commercial Lawn Mower

- ConnectX™ Mower works with all Makita Portable Backpack Power Supply units for longer run time (power supply sold separately)
- Backpack Power Supply (PDC1200A01 or PDC01) can be mounted directly onto the mower



CONNECTX™

CRU03Z

40V max ConnectX™ Brushless String Trimmer

- ConnectX™ String Trimmer works with any Makita Portable Backpack Power Supply unit for longer run time (power supply sold separately)
- External battery connection shifts the power supply weight off the trimmer for improved balance and reduced weight



CONNECTX™

ALSO AVAILABLE



191N62-4

40V max XGT® Adapter,
PDC1200A01, PDC01



191J50-7

18V LXT® Adapter,
PDC01



191J51-5

36V (18V X2) LXT® Adapter,
PDC1500, PDC1200, PDC01

GCU04T CORDLESS

40V max XGT® Brushless 18" Chain Saw Kit

- No gas, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Makita-built brushless motor delivers power of a 42cc gas chain saw



GCU05T CORDLESS

40V max XGT® Brushless 16" Chain Saw Kit

- No gas, emissions, oil mixing or pull starts with reduced maintenance and low noise levels
- Makita-built brushless motor delivers power of a 42cc gas chain saw



GCU03T CORDLESS

40V max XGT® Brushless 16" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw



GCU02T CORDLESS

40V max XGT® Brushless 14" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw



GCU01T CORDLESS

40V max XGT® Brushless 12" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw



GAU01T CORDLESS

40V max XGT® Brushless 10" Pole Saw Kit, 8' Length

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- 8 foot fixed length for extended reach



GAU02T CORDLESS

40V max XGT® Brushless 10" Telescoping Pole Saw Kit, 13' Length

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- Telescoping shaft adjusts length from 9 ft. to 13 ft. allowing access to hard-to-reach branches



GBU01T CORDLESS

40V max XGT® Brushless Blower Kit

- Up to 44% more blowing force than a 24.5cc gas blower
- Makita-built brushless motor delivers up to 565 CFM and 143 MPH



GML01PL CORDLESS

40V max XGT® Brushless 21" Self-Propelled Commercial Lawn Mower Kit

- High torque motor delivers gas performance high vacuum lift for premium cut quality
- Cuts up to 1-1/5" acre in 108 minutes or less with (2) 40V XGT® 8.0 Ah batteries



XGT 40V max

GML01SM CORDLESS

40V max XGT® Brushless 21" Self-Propelled Commercial Lawn Mower Kit

- High torque motor delivers gas performance high vacuum lift for premium cut quality
- Cuts up to 3/5" acre in 54 minutes or less with (2) 40V XGT® 4.0 Ah batteries



XGT 40V max

GRU07T CORDLESS

40V max XGT® Brushless 18" Dual Rotation, High Torque String Trimmer Kit

- Makita-built brushless motor delivers the power of a 35cc gas string trimmer
- Dual rotation rotates trimmer head clockwise or counterclockwise for less grass on sidewalks



XGT 40V max

GRU06T CORDLESS

40V max XGT® Brushless Brush Cutter Kit

- Makita-built brushless motor delivers the power of a 35cc gas brush cutter
- Bike handle design for improved grip and more ergonomic working position



XGT 40V max

GNU01T CORDLESS

40V max XGT® Brushless 24" Articulating Pole Hedge Trimmer Kit

- 6 angle settings for efficient trimming of overhead and low-lying hedges
- 24" dual action double-sided shear blade for optimal performance




XGT 40V max

GHU03M1 CORDLESS

40V max XGT® Brushless 30" Hedge Trimmer Kit

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming




XGT 40V max

GHU02M1 CORDLESS

40V max XGT® Brushless 24" Hedge Trimmer Kit

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming



XGT 40V max

GVU01SM CORDLESS

40V max XGT® Brushless Cordless 15" Dethatcher / Scarifier Kit (4.0Ah)

- Powerful cuts revitalize turf allowing water, sunlight and nutrients to reach lawn roots
- 2-in-1 design for dethatching or scarifying



XGT 40V max

COUPLE SHAFTS

PICK YOUR POWER

GUX01Z ■■■■ CORDLESS

40V max XGT® Brushless Couple Shaft Power Head

- Makita-built Brushless Motor delivers power of 30cc gas couple shaft power head
- Up to 25% more power than Gas Couple Shaft Power Head*



GUX01JM1X1 ■■■■ CORDLESS

40V max XGT® Brushless Couple Shaft Power Head Kit with 17" String Trimmer Attachment

- Makita-built Brushless Motor delivers the power of 30cc gas string trimmer
- Up to 25% more power than Gas Couple Shaft Power Head*



COUPLE SHAFTS

PICK YOUR ATTACHMENT



EE400MP
Edger Couple Shaft Attachment



ER400MP
Curved String Trimmer Couple Shaft Attachment



EM403MP
Brush Cutter Couple Shaft Attachment



EM405MP
17" String Trimmer Couple Shaft Attachment



EY402MP
10" Pole Saw Couple Shaft Attachment



EN401MP
20" Articulating Hedge Trimmer Couple Shaft Attachment



EN410MP
20" Double-Sided Hedge Trimmer Couple Shaft Attachment



KR401MP
Cultivator Couple Shaft Attachment



UB401MP
Blower Couple Shaft Attachment



BR400MP
Bristle Brush Couple Shaft Attachment



SW400MP
Paddle Sweep Couple Shaft Attachment



LE400MP
42" Shaft Extension Couple Shaft Attachment



WA400MP
Cultivator Hoe Weeding Couple Shaft Attachment



EN424MP
14" Ground Trimmer Couple Shaft Attachment



PF400MP
Water Pump Couple Shaft Attachment



SN400MP
12" Snow Shovel Attachment

COMING SOON

GGD01M1 ■■■■ CORDLESS

40V max XGT® Brushless Earth Auger Kit

- Makita-built brushless motor delivers the power of a 36cc gas earth auger
- Drill holes up to 8" wide and 41" deep (extension bar, auger bit and blades sold separately)



ALSO AVAILABLE



E-07347
4" Earth Auger Drill Bit



E-07353
6" Earth Auger Drill Bit



E-07369
8" Earth Auger Drill Bit



E-07375
Earth Auger Drill Bit 21" Extension Bar

*Compared to EX2650LH



XGT 40V^{max}
POWER OF A
63cc
GAS MIST BLOWER

GMP01

GMP01PL **CORDLESS**

40V max XGT® Brushless Couple Shaft Power Head Kit with 17" String Trimmer Attachment

- Makita-built brushless motor delivers the power of a 63cc gas mist blower
- Sprays up to 46 feet



XGT 40V^{max}

XSU02SM1 **CORDLESS**

18V LXT® Lithium-Ion Cordless 4 Gallon Backpack Sprayer Kit (4.0Ah)

- Garden sprayer for use with pesticides, insecticides, herbicides, fungicides and fertilizers
- Sprays up to 165 gallons with 18V LXT® 4.0Ah battery



LXT 18V

XUC04Z **CORDLESS**

36V (18V X2) LXT® Brushless Material Handling, Dump Bucket, Tool Only

- Delivers up to 100 minutes of run time using four 18V LXT® 6.0Ah batteries (battery not included)
- 200L heaped capacity with maximum load over 660 lbs



LXT 36V

XUC05Z **CORDLESS**

36V (18V X2) LXT® Brushless Material Handling, Dump/Pipe Frame, Tool Only

- Delivers up to 100 minutes of run time using four 18V LXT® 6.0Ah batteries (battery not included)
- 3-speed with maximum speed up over 3 MPH on a 12° incline



LXT 36V

XUC06Z **CORDLESS**

36V (18V X2) LXT® Brushless Material Handling, Flat Bucket, Tool Only

- Delivers up to 100 minutes of run time using four 18V LXT® 6.0Ah batteries (battery not included)
- 295L heaped capacity with maximum load over 660 lbs



LXT 36V



LXT 18V
DELIVERS UP TO
10,000 PSI
OF MAX PRESSURE

XPG01

XPG01S1 CORDLESS

18V LXT® Grease Gun Kit

- Powerful motor delivers up to 10,000 PSI of Max pressure
- Features two speed modes; Low and Auto-Speed for better control



LXT 18V

ALSO AVAILABLE

191A78-1

1/8" NPT Heavy Duty Grease Coupler Set, 3/pk

- 3-jaw coupler assembly creates a leak-free grip on zerkl fittings



191A79-9

47-1/4" Flexible Grease Gun Hose with Coupler

- 47-1/4" flexible hose length for maximum maneuverability and access to difficult to reach zerkl fittings



191A80-4

23-5/8" Flexible Grease Gun Hose with Coupler

- 23-5/8" flexible hose length for reduced clutter during storage



191A76-5

Lock-On Adapter, XPG01

- Locking grease coupler for a more secure connection



191A81-2

450g Large Grease Barrel

- Large grease barrel holds an increased capacity up to 450 grams



191B12-7

400g Grease Barrel

- Grease barrel holds a capacity up to 400 grams (14 oz.)



191F23-6

500g Extra Large Grease Barrel

- Extra large grease barrel holds an increased capacity up to 500 grams



191A77-3

Angle Adapter, XPG01

- 90 degree grease coupler for hard to reach areas



GWH01Z CORDLESS

40V max XGT® 1300 PSI 1.5 GPM Pressure Washer

- Delivers up to 1300 PSI and 1.5 GPM without the hassles of power cords
- Designed for use as a siphon or with garden hose



XGT 40V max

GWT10T NEW ■■■ CORDLESS
40V max XGT® Brushless 4-Sp. High-Torque 1" D-Handle Ext. Anvil Impact Wrench Kit w/ Friction Ring

- Makita-built motor delivers 2,950 ft.lbs. of Nut-Busting Torque and 2,320 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency


GWT01D ■■■ CORDLESS
40V max XGT® Brushless 4-Speed High-Torque 3/4" Sq. Drive Impact Wrench Kit w/ Friction Ring Anvil

- Makita-built motor delivers 1,510 ft.lbs. of Nut-Busting Torque and 1,330 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency


GWT02D NEW ■■■ CORDLESS
40V max XGT® Brushless 4-Speed High-Torque 1/2" Sq. Drive Impact Wrench Kit w/ Friction Ring Anvil

- Makita-built motor delivers 1,620 ft.lbs. of Nut-Busting Torque and 1,250 ft.lbs. of Fastening Torque; out powers similar models in heavy load applications
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency


XWT07T ■■■ CORDLESS
18V LXT® Brushless High-Torque 3/4" Impact Wrench Kit

- Full-Size Power delivers 780 ft.lbs. of Fastening Torque and 1,250 ft.lbs. of Nut-Busting Torque
- 3-speed power selection switch (0-900/ 0-1,000/ 0-1,800 RPM & 0-1,800/ 0-2,000/ 0-2,200 IPM) provides precise fastening control


XWT08T ■■■ CORDLESS
18V LXT® Brushless High-Torque 1/2" Impact Wrench Kit

- Full-Size Power delivers 740 ft.lbs. of Fastening Torque and 1,180 ft.lbs. of Nut-Busting Torque
- 3-speed (0-900/ 0-1,000/ 0-1,800 RPM & 0-1,800/ 0-2,000/ 0-2,200 IPM) for precise fastening control


XRW01SR1 ■■■ CORDLESS
18V LXT® 3/8" / 1/4" Sq. Drive Ratchet Kit

- Interchangeable 3/8" and 1/4" anvils for added versatility
- Powerful motor delivers 35 ft.lbs. of Max Torque


LXT® 18V
(BRAND)

MP001GZ01 ■■■ CORDLESS
40V max XGT® High-Pressure Inflator

- Powerful high-volume pump for faster inflation; delivers up to 160 PSI
- High visibility pressure gauge display with back light


XGT® 40V max
DMP181ZX ■■■ CORDLESS
18V LXT® High-Pressure Inflator

- Powerful high-volume pump for faster inflation; delivers up to 160 PSI
- Conveniently tops off cars and light truck tires with speed and ease


LXT® 18V
XSA01Z ■■■ CORDLESS
18V LXT® Brushless High Speed Blower/Inflator

- Makita-built brushless motor delivers up to 447 MPH and 39 CFM
- 4 digitally controlled speeds for a wide range of applications


LXT® 18V

LIGHTING / MAKTRAK

ML012G CORDLESS

40V max XGT® L.E.D. Underhood Work Light

- 3-mode operation; delivers 1,700 lumens on High, 800 lumens on Medium, and 400 lumens on Low
- Foldable light provides 3 different lighting options: Upper Bar, Lower Bar, and both for maximum lighting



XGT 40V max

ML010G CORDLESS

40V max XGT® Upright L.E.D. Area Light

- 3-mode operation: delivers 5,500 lumens on High, 3,000 lumens on medium, and 1,500 lumens on Low
- 3 illumination range modes: 360°, left 180°, and right 180°



XGT 40V max

ML009G CORDLESS

40V max XGT® / 18V LXT® Cordless Work Light, Light Only

- 3-mode operation: delivers 10,000 lumens on High, 4,000 lumens on medium, and 2,000 lumens on Low
- Up to 2.4 hours of continuous illumination with two 4.0Ah 40V max XGT® batteries on high (batteries and charger not included)



XGT 40V max

ML005G CORDLESS

40V max XGT® / 18V LXT® Cordless Work Light, Light Only

- 3-mode operation: delivers 3,600 lumens on High, 1,800 lumens on Medium, and 900 lumens on Low
- Up to 3.5 hours of continuous illumination with a 4.0Ah 40V max XGT® battery on high (battery and charger not included)



XGT 40V max

DML813 CORDLESS

18V LXT® Tower Work Light

- Extends to an overall height of 7-1/4 ft. with a foldable design for quick setup and takedown
- Adjustable head rotates 220° vertically and pivots 230° horizontally



LXT 18V

DML814 CORDLESS

18V LXT® Tower Work/Multi-Directional Light

- Three adjustable light heads rotate 180° vertically
- Extends to an overall height of 7-1/4 ft. with a foldable design for quick setup and takedown



LXT 18V

DML809 CORDLESS

18V X2 LXT® Cordless/Corded Work Light

- 3-mode operation: delivers 10,000 lumens on High, 4,000 lumens on medium, and 2,000 lumens on Low
- Up to 1.7 hours of continuous illumination with two 6.0Ah 18V LXT® battery on high (batteries and charger not included)



LXT 18V

DML811 CORDLESS

18V LXT® Cordless/Corded Work Light

- 3-mode operation: delivers 3,000 lumens on High, 1,500 lumens on medium, and 750 lumens on Low
- Up to 3 hours of continuous illumination with a 6.0Ah 18V LXT® battery on high (battery and charger not included)



LXT 18V

DML818 CORDLESS

18V LXT® Cordless/Corded Work Light


- 3-mode operation; delivers 1,700 lumens on High, 800 lumens on Medium, and 400 lumens on Low
- Foldable light provides 3 different lighting options: Upper Bar, Lower Bar, and Both for maximum lighting



LXT 18V

MAKTRAK™

THE NEXT GENERATION IN
MODULAR STORAGE SYSTEMS™



OPEN ANY BOX WITHOUT UNSTACKING

T-90009

MAKTRAK™ Rolling Tool Chest

- Dual-Hinged, Removable Lid allows access from both sides
- Horizontal Design for maximum accessibility; fits long tools
- Premium Handle with GeckGrips™ for easy truck/van loading and unloading



T-90015

MAKTRAK™ Large Tool Box

- Dual-Hinged, Removable Lid allows access from both sides
- Horizontal Design for maximum accessibility; fits long tools
- Multiple Lid Mounting Points for more interior organization



T-90021

MAKTRAK™ Extra Large Extension Tool Box

- Dual-Hinged, Removable Lid allows access from both sides
- Ability to horizontally Cleat Mount or Vertically Connect to Rolling Tool Chest
- Multiple Lid Mounting Points for more interior organization



T-90037

MAKTRAK™ Medium Tool Box

- Deep Trays hold a variety of hand tools
- Shallow Trays with multiple dividers for small parts



T-90043

MAKTRAK™ Deep Medium Organizer

- Up to 40% More Holding Capacity vs. leading competitors
- 5" Deep Bins with Dividers holds a variety of lengths



T-90059

MAKTRAK™ Low-Profile Medium Organizer

- Up to 50% More Holding Capacity vs. leading competitors
- Low-Profile Design for efficient small part organization



T-90065

MAKTRAK™ Deep Compact Organizer

- Up to 25% More Holding Capacity vs. leading competitors
- 5" Deep Bins with Dividers holds a variety of lengths



RENTAL FLEET SUPPORT

Makita tools deliver best in class performance with less downtime producing better ROI for your Rental Fleet. The Makita Rental Team is ready to provide support through product knowledge and sales & service training. Contact us today.

For more information contact: **(800) 4-MAKITA**
rental@makitausa.com

GET REGISTERED

Register your products and keep them in one safe place, your own Tool Box. It is where you can go to obtain your tool model numbers and serial numbers in the event your tool is stolen or needs service.

makitatools.com/productregistration

GET SERVICE

Go online to **makitatools.com/service** and download parts breakdowns and owners manuals for your tools.

makitatools.com/service

SERVICE CENTERS

Makita's Network of Service Centers ensure complete satisfaction on every product that we manufacture

Locate Nearest Service Center ONLINE:

makitatools.com/service



Free Technical Support:

1-800-4-MAKITA
(625482)



Your convenient solution for quick tool repairs. Makita® Factory Service Centers are committed to providing maintenance and repair using genuine parts and quality service.

If the repair is covered under warranty, there is no cost to the user.

makitatools.com/directrepair



Makita® General Product Limited Warranty

Every Makita® product is warranted to be free of defects from workmanship and materials for the period of ONE YEAR from the date of original purchase. Certain products referenced below have longer warranties. Should any trouble develop during the one-year period, return the COMPLETE product, freight prepaid by user, to one of Makita's Factory or Authorized Service Centers. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair (or at our option, replace) without charge.



Makita® 3-Year Limited Warranty, Pneumatic Nailer, Lithium-Ion Tool, Battery and Charger

Every Makita® Lithium-Ion Tool, Battery, Charger, and Pneumatic Nailer is warranted to be free of defects from workmanship and materials for the period of THREE YEARS from the date of original purchase. Should any trouble develop during the three-year period, return the COMPLETE Lithium-Ion Tool, Battery, Charger or Pneumatic Nailer to one of Makita's Factory or Authorized Service Centers. If inspection shows the trouble is caused by defective workmanship or material, Makita will repair (or at our option, replace) without charge.



These warranties do not apply to Makita Accessories or where:

- Repairs have been made or attempted by others
- Repairs are required because of normal wear and tear. With regard to Pneumatic Nailers, normal wear parts include the following and are not covered under this warranty: piston/driver assemblies, piston stops, driver blades, rubber o-rings, seals, isolators, air filters, and driver belts.
- The tool has been abused, misused, improperly maintained or operated. With regard to Pneumatic Nailers, improper operation includes the failure to use clean, dry regulated compressed air and/or air pressures exceeding the maximum indicated on the nailer casting. With regard to Lithium-Ion Tools, improper operation includes the use of a non-genuine or "knock-off" battery on a Lithium-Ion Tool or Charger. With regard to Laser Instruments, abuse includes liquid damage or physical damage caused by impact.
- Alterations have been made to the tool

IN NO EVENT SHALL MAKITA BE LIABLE FOR (A) ANY INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF THE PRODUCTS SOLD UNDER THESE WARRANTIES, OR (B) ANY AMOUNT IN EXCESS OF THE AMOUNT ACTUALLY PAID TO MAKITA FOR THE PRODUCTS SOLD HEREUNDER. THIS LIMITATION APPLIES BOTH DURING AND AFTER THE TERMS OF THE WARRANTY.

MAKITA DISCLAIMS LIABILITY FOR ANY IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF "MERCHANTABILITY" AND "FITNESS FOR A SPECIFIC PURPOSE" AFTER THE EXPIRATION OF ANY EXPRESS WARRANTY.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you.

999BR029 POP-1224-XX MA-15164-24 The Makita TEAL COLOR is the trade dress of Makita® Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office.

